

ACTIVITIES AUTHORIZED BY 2012 NATIONWIDE PERMIT

12. **Utility Line Activities.** Activities required for the construction, maintenance, repair, and removal of utility lines and associated facilities in waters of the United States, provided the activity does not result in the loss of greater than 1/2-acre of waters of the United States for each single and complete project.

Utility lines: This NWP authorizes the construction, maintenance, or repair of utility lines, including outfall and intake structures, and the associated excavation, backfill, or bedding for the utility lines, in all waters of the United States, provided there is no change in pre-construction contours. A “utility line” is defined as any pipe or pipeline for the transportation of any gaseous, liquid, liquescent, or slurry substance, for any purpose, and any cable, line, or wire for the transmission for any purpose of electrical energy, telephone, and telegraph messages, and radio and television communication. The term “utility line” does not include activities that drain a water of the United States, such as drainage tile or french drains, but it does apply to pipes conveying drainage from another area.

Material resulting from trench excavation may be temporarily sidecast into waters of the United States for no more than three months, provided the material is not placed in such a manner that it is dispersed by currents or other forces. The district engineer may extend the period of temporary side casting for no more than a total of 180 days, where appropriate. In wetlands, the top 6 to 12 inches of the trench should normally be backfilled with topsoil from the trench. The trench cannot be constructed or backfilled in such a manner as to drain waters of the United States (e.g., backfilling with extensive gravel layers, creating a french drain effect). Any exposed slopes and stream banks must be stabilized immediately upon completion of the utility line crossing of each waterbody.

Utility line substations: This NWP authorizes the construction, maintenance, or expansion of substation facilities associated with a power line or utility line in non-tidal waters of the United States, provided the activity, in combination with all other activities included in one single and complete project, does not result in the loss of greater than 1/2-acre of waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters of the United States to construct, maintain, or expand substation facilities.

Foundations for overhead utility line towers, poles, and anchors: This NWP authorizes the construction or maintenance of foundations for overhead utility line towers, poles, and anchors in all waters of the United States, provided the foundations are the minimum size necessary and separate footings for each tower leg (rather than a larger single pad) are used where feasible.

Access roads: This NWP authorizes the construction of access roads for the construction and maintenance of utility lines, including overhead power lines and utility line substations, in non-tidal waters of the United States, provided the activity, in combination with all other activities included in one single and complete project, does not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters for access roads. Access roads must be the minimum width

necessary (see Note 2, below). Access roads must be constructed so that the length of the road minimizes any adverse effects on waters of the United States and must be as near as possible to pre-construction contours and elevations (e.g., at grade corduroy roads or geotextile/gravel roads). Access roads constructed above pre-construction contours and elevations in waters of the United States must be properly bridged or culverted to maintain surface flows.

This NWP may authorize utility lines in or affecting navigable waters of the United States even if there is no associated discharge of dredged or fill material (See 33 CFR Part 322). Overhead utility lines constructed over section 10 waters and utility lines that are routed in or under section 10 waters without a discharge of dredged or fill material require a section 10 permit.

This NWP also authorizes temporary structures, fills, and work necessary to conduct the utility line activity. Appropriate measures must be taken to maintain normal downstream flows and minimize flooding to the maximum extent practicable, when temporary structures, work, and discharges, including cofferdams, are necessary for construction activities, access fills, or dewatering of construction sites. Temporary fills must consist of materials, and be placed in a manner, that will not be eroded by expected high flows. Temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The areas affected by temporary fills must be revegetated, as appropriate.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity if any of the following criteria are met: (1) the activity involves mechanized land clearing in a forested wetland for the utility line right-of-way; (2) a section 10 permit is required; (3) the utility line in waters of the United States, excluding overhead lines, exceeds 500 feet; (4) the utility line is placed within a jurisdictional area (i.e., water of the United States), and it runs parallel to or along a stream bed that is within that jurisdictional area; (5) discharges that result in the loss of greater than 1/10-acre of waters of the United States; (6) permanent access roads are constructed above grade in waters of the United States for a distance of more than 500 feet; or (7) permanent access roads are constructed in waters of the United States with impervious materials. (See general condition 31.) (Sections 10 and 404)

Note 1: Where the proposed utility line is constructed or installed in navigable waters of the United States (i.e., section 10 waters) within the coastal United States, the Great Lakes, and United States territories, copies of the pre-construction notification and NWP verification will be sent by the Corps to the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), for charting the utility line to protect navigation.

Note 2: Access roads used for both construction and maintenance may be authorized, provided they meet the terms and conditions of this NWP. Access roads used solely for construction of the utility line must be removed upon completion of the work, in accordance with the requirements for temporary fills.

Note 3: Pipes or pipelines used to transport gaseous, liquid, liquescent, or slurry substances over navigable waters of the United States are considered to be bridges, not utility

lines, and may require a permit from the U.S. Coast Guard pursuant to Section 9 of the Rivers and Harbors Act of 1899. However, any discharges of dredged or fill material into waters of the United States associated with such pipelines will require a section 404 permit (see NWP 15).

Note 4: For overhead utility lines authorized by this NWP, a copy of the PCN and NWP verification will be provided to the Department of Defense Siting Clearinghouse, which will evaluate potential effects on military activities.

Nationwide Permit 12 Specific Regional Conditions:

a. Notification in accordance with Nationwide Permit General Condition 31 and Regional General Condition 6 is required for the following activities and the notification must include a restoration plan showing how all temporary fills and structures will be removed and the area restored to pre-project conditions:

- All work in waters of the U.S., including special aquatic sites, associated with utility line substations;
- All stream work (perennial, intermittent, and ephemeral) associated with foundations for overhead utility line towers, poles, and anchors;
- Impacts greater than 1/10 acre in waters of the U.S., including wetlands, associated with access roads;
- All temporary structures, work, and discharges (including cofferdams) necessary for access fills or dewatering of construction sites occurring in wetlands, perennial streams, or Section 10 waters when the primary activity is otherwise authorized by the Corps of Engineers; and
- All impacts to shrub/scrub and forested wetlands.

b. Notifications for aerial transmission lines over Section 10 waters must include the nominal system voltage and the additional clearance above low steel for bridges, if available, or above maximum high water elevation.

Note: All aerial crossings will have the following minimum clearances above the clearance required for bridges, or the clearances which would be required by the U.S. Coast Guard for new fixed bridges, in the vicinity of the proposed crossing. These clearances are based on the low point of the line under conditions which produce the greatest sag, taking into consideration temperature, load, wind, length or span, and type of supports as outlined in the National Electrical Safety Code. For any non-electrical cable, the crossing must have a minimum clearance of 20 feet above the clearance required for bridges.

<u>NOMINAL SYSTEM VOLTAGE, KV</u>	<u>ADDITIONAL CLEARANCE, FEET</u>
115 and below	20
138	22
161	24

230	26
350	30
500	35
700	42
750 – 765	45

c. Where certain functions and services of waters of the U.S. are permanently adversely affected, such as the conversion of a forested wetland or shrub/scrub wetland to an herbaceous wetland in the permanently maintained utility line right-of-way, mitigation may be required to reduce the adverse effects of the project to the minimal level.

d. Anti-seep collars or clay plugs must be utilized for trenching activities conducted in a wetland.

e. This nationwide permit does not authorize the placement of manholes in wetlands.

f. Excess material must be removed to upland areas immediately upon completion of construction.

g. The loss of waters of the U.S. is limited to 300 feet of stream bed, unless for intermittent and ephemeral stream beds the District Engineer waives the 300 linear foot limit by making a written determination concluding that the discharge will result in minimal adverse effects.

Water Quality Certification Special Limitations And Conditions

Nationwide Permit 12 (Utility activities)

1. Ohio state certification general limitations and conditions apply to this nationwide permit.
2. Temporary or permanent impacts to category 3 wetlands are limited to less than 0.1 acres for activities involving the repair, maintenance, replacement, or safety upgrades to existing infrastructure that meets the definition of public need.
3. Except for maintenance activities authorized under this nationwide permit, individual state water quality certification is required for use of this nationwide permit when temporary or permanent impacts are proposed on or in the following waters:
 - a. streams with the aquatic life use designation of exceptional warmwater habitat, cold water habitat, seasonal salmonid or any equivalent designation and/or performance;
 - b. streams with an antidegradation category of superior high quality water, outstanding national resource water or outstanding state water;
 - c. state wild and scenic rivers;
 - d. national wild and scenic rivers;

- e. general high quality water bodies which harbor federally listed threatened and/or endangered mussel species, such as Killbuck Creek in Coshocton County and Pymatuning Creek in Ashtabula County; and
4. Temporary or permanent impacts to category 1 and category 2 wetlands are limited to one-half acre.
5. Temporary or permanent impacts that result in the physical disturbance of more than 500 linear feet of forested wetland (containing woody vegetation six meters or taller) are not authorized under this certification.
6. Temporary or permanent impacts as a result of stream crossings shall not exceed a total of three per stream mile per stream.
7. Temporary or permanent impacts from new buried utility lines that cross more than 1,500 linear feet (cumulative for the entire project) of surface waters, including wetlands, require individual state water quality certification.
8. For an individual stream, the combined length of an existing culvert and culvert extension shall not exceed 500 linear feet of which no more than 300 linear may be new culvert.
9. Projects with temporary or permanent impacts (cumulative for the entire project) to surface waters, including wetlands, located in three or more 8-digit hydrologic units require individual state water quality certification.
10. All hydric soils up to 12 inches in depth within wetlands shall be stockpiled and replaced as the topmost backfill layer. Best management practices, such as silt fencing and soil stabilization, shall be implemented to reduce erosion and sediment run-off into adjacent wetlands.
11. The stockpiling of side cast dredged material in wetlands in excess of three months requires individual state water quality certification.
12. Buried utility lines shall be installed at a 90 degree angle to the stream bank to the maximum extent practicable. When a 90 degree angle is not possible, the length of any buried utility line within any single water body shall not exceed twice the width of that water body at the location of the crossing.
13. The total width of any excavation, grading or mechanized clearing of vegetation and soil shall not exceed 25 feet on either side of a utility line or a total width of 50 feet on both sides of a utility line.

C. Nationwide Permit General Conditions

Note: To qualify for NWP authorization, the prospective permittee must comply with the following general conditions, as applicable, in addition to any regional or case-specific conditions imposed by the division engineer or district engineer. Prospective permittees should contact the appropriate Corps district office to determine if regional conditions have been imposed on an NWP. Prospective permittees should also contact the appropriate Corps district office to determine the status of Clean Water Act Section 401 water quality certification and/or Coastal Zone Management Act consistency for an NWP. Every person who may wish to obtain permit authorization under one or more NWPs, or who is

currently relying on an existing or prior permit authorization under one or more NWPs, has been and is on notice that all of the provisions of 33 CFR §§ 330.1 through 330.6 apply to every NWP authorization. Note especially 33 CFR § 330.5 relating to the modification, suspension, or revocation of any NWP authorization.

1. Navigation. (a) No activity may cause more than a minimal adverse effect on navigation.

(b) Any safety lights and signals prescribed by the U.S. Coast Guard, through regulations or otherwise, must be installed and maintained at the permittee's expense on authorized facilities in navigable waters of the United States.

(c) The permittee understands and agrees that, if future operations by the United States require the removal, relocation, or other alteration, of the structure or work herein authorized, or if, in the opinion of the Secretary of the Army or his authorized representative, said structure or work shall cause unreasonable obstruction to the free navigation of the navigable waters, the permittee will be required, upon due notice from the Corps of Engineers, to remove, relocate, or alter the structural work or obstructions caused thereby, without expense to the United States. No claim shall be made against the United States on account of any such removal or alteration.

2. Aquatic Life Movements. No activity may substantially disrupt the necessary life cycle movements of those species of aquatic life indigenous to the waterbody, including those species that normally migrate through the area, unless the activity's primary purpose is to impound water. All permanent and temporary crossings of waterbodies shall be suitably culverted, bridged, or otherwise designed and constructed to maintain low flows to sustain the movement of those aquatic species.

3. Spawning Areas. Activities in spawning areas during spawning seasons must be avoided to the maximum extent practicable. Activities that result in the physical destruction (e.g., through excavation, fill, or downstream smothering by substantial turbidity) of an important spawning area are not authorized.

4. Migratory Bird Breeding Areas. Activities in waters of the United States that serve as breeding areas for migratory birds must be avoided to the maximum extent practicable.

5. Shellfish Beds. No activity may occur in areas of concentrated shellfish populations, unless the activity is directly related to a shellfish harvesting activity authorized by NWPs 4 and 48, or is a shellfish seeding or habitat restoration activity authorized by NWP 27.

6. Suitable Material. No activity may use unsuitable material (e.g., trash, debris, car bodies, asphalt, etc.). Material used for construction or discharged must be free from toxic pollutants in toxic amounts (see Section 307 of the Clean Water Act).

7. Water Supply Intakes. No activity may occur in the proximity of a public water supply intake, except where the activity is for the repair or improvement of public water supply intake structures or adjacent bank stabilization.

8. Adverse Effects From Impoundments. If the activity creates an impoundment of water, adverse effects to the aquatic system due to accelerating the passage of water, and/or restricting its flow must be minimized to the maximum extent practicable.

9. Management of Water Flows. To the maximum extent practicable, the pre-construction course, condition, capacity, and location of open waters must be maintained for each activity, including stream channelization and storm water management activities, except as provided below. The activity must be constructed to withstand expected high flows. The activity must not restrict or impede the passage of normal or high flows, unless the primary purpose of the activity is to impound water or manage high flows. The activity may alter the pre-construction course, condition, capacity, and location of open waters if it benefits the aquatic environment (e.g., stream restoration or relocation activities).

10. Fills Within 100-Year Floodplains. The activity must comply with applicable FEMA-approved state or local floodplain management requirements.

11. Equipment. Heavy equipment working in wetlands or mudflats must be placed on mats, or other measures must be taken to minimize soil disturbance.

12. Soil Erosion and Sediment Controls. Appropriate soil erosion and sediment controls must be used and maintained in effective operating condition during construction, and all exposed soil and other fills, as well as any work below the ordinary high water mark or high tide line, must be permanently stabilized at the earliest practicable date. Permittees are encouraged to perform work within waters of the United States during periods of low-flow or no-flow.

13. Removal of Temporary Fills. Temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The affected areas must be revegetated, as appropriate.

14. Proper Maintenance. Any authorized structure or fill shall be properly maintained, including maintenance to ensure public safety and compliance with applicable NWP general conditions, as well as any activity-specific conditions added by the district engineer to an NWP authorization.

15. Single and Complete Project. The activity must be a single and complete project. The same NWP cannot be used more than once for the same single and complete project.

16. Wild and Scenic Rivers. No activity may occur in a component of the National Wild and Scenic River System, or in a river officially designated by Congress as a "study river" for possible inclusion in the system while the river is in an official study status, unless the appropriate Federal agency with direct management responsibility for such river, has determined in writing that the proposed activity will not adversely affect the Wild and Scenic River designation or study status. Information on Wild and Scenic Rivers may be obtained from the appropriate Federal land management agency responsible for the designated Wild and Scenic River or study river (e.g., National Park Service, U.S. Forest Service, Bureau of Land Management, U.S. Fish and Wildlife Service).

17. Tribal Rights. No activity or its operation may impair reserved tribal rights, including, but not limited to, reserved water rights and treaty fishing and hunting rights.

18. Endangered Species. (a) No activity is authorized under any NWP which is likely to directly or indirectly jeopardize the continued existence of a threatened or endangered species or a species proposed for such designation, as identified under the Federal Endangered Species Act (ESA), or which will directly or indirectly destroy or adversely modify the critical habitat of such species. No activity is authorized under any NWP which "may affect" a listed species or critical habitat, unless Section 7 consultation addressing the effects of the proposed activity has been completed.

(b) Federal agencies should follow their own procedures for complying with the requirements of the ESA. Federal permittees must provide the district engineer with the appropriate documentation to demonstrate compliance with those requirements. The district engineer will review the documentation and determine whether it is sufficient to address ESA compliance for the NWP activity, or whether additional ESA consultation is necessary.

(c) Non-federal permittees must submit a pre-construction notification to the district engineer if any listed species or designated critical habitat might be affected or is in the vicinity of the project, or if the project is located in designated critical habitat, and shall not begin work on the activity until notified by the district engineer that the requirements of the ESA have been satisfied and that the activity is authorized. For activities that might affect Federally-listed endangered or threatened species or designated critical habitat, the pre-construction notification must include the name(s) of the endangered or threatened species that might be affected by the proposed work or that utilize the designated critical habitat that might be affected by the proposed work. The district engineer will determine whether the proposed activity "may affect" or will have "no effect" to listed species and designated critical habitat and will notify the non-Federal applicant of the Corps' determination within 45 days of receipt of a complete pre-construction notification. In cases where the non-Federal applicant has identified listed species or critical habitat that might be affected or is in the vicinity of the project, and has so notified the Corps, the applicant shall not begin work until the Corps has provided notification the proposed activities will have "no effect" on listed species or critical habitat, or until Section 7 consultation has been completed. If the non-Federal applicant has not heard back from the Corps within 45 days, the applicant must still wait for notification from the Corps.

(d) As a result of formal or informal consultation with the FWS or NMFS the district engineer may add species-specific regional endangered species conditions to the NWPs.

(e) Authorization of an activity by a NWP does not authorize the "take" of a threatened or endangered species as defined under the ESA. In the absence of separate authorization (e.g., an ESA Section 10 Permit, a Biological Opinion with "incidental take" provisions, etc.) from the U.S. FWS or the NMFS, The Endangered Species Act prohibits any person subject to the jurisdiction of the United States to take a listed species, where "take" means to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in any such conduct. The word "harm" in the definition of "take" means an act which actually kills or injures wildlife. Such an act may include significant habitat modification or degradation where it actually kills or injures wildlife by significantly impairing essential behavioral patterns, including breeding, feeding or sheltering.

(f) Information on the location of threatened and endangered species and their critical habitat can be obtained directly from the offices of the U.S. FWS and NMFS or their world wide web pages at <http://www.fws.gov/> or <http://www.fws.gov/ipac> and <http://www.noaa.gov/fisheries.html> respectively.

19. Migratory Birds and Bald and Golden Eagles. The permittee is responsible for obtaining any "take" permits required under the U.S. Fish and Wildlife Service's regulations governing compliance with the Migratory Bird Treaty Act or the Bald and Golden Eagle Protection Act. The permittee should contact the appropriate local office of the U.S. Fish and Wildlife Service to determine if such "take" permits are required for a particular activity.

20. Historic Properties. (a) In cases where the district engineer determines that the activity may affect properties listed, or eligible for listing, in the National Register of Historic Places, the activity is not authorized, until the requirements of Section 106 of the National Historic Preservation Act (NHPA) have been satisfied.

(b) Federal permittees should follow their own procedures for complying with the requirements of Section 106 of the National Historic Preservation Act. Federal permittees must provide the district engineer with the appropriate documentation to demonstrate compliance with those requirements. The district engineer will review the documentation and determine whether it is sufficient to address section 106 compliance for the NWP activity, or whether additional section 106 consultation is necessary.

(c) Non-federal permittees must submit a pre-construction notification to the district engineer if the authorized activity may have the potential to cause effects to any historic properties listed on, determined to be eligible for listing on, or potentially eligible for listing on the National Register of Historic Places, including previously unidentified properties. For such activities, the pre-construction notification must state which historic properties may be affected by the proposed work or include a vicinity map indicating the location of the historic properties or the potential for the presence of historic properties. Assistance regarding information on the location of or potential for the presence of historic resources can be sought from the State Historic Preservation Officer or Tribal Historic Preservation Officer, as appropriate, and the National Register of Historic Places (see 33 CFR 330.4(g)). When reviewing pre-construction notifications, district engineers will comply with the current procedures for addressing the requirements of Section 106 of the National Historic Preservation Act. The district engineer shall make a reasonable and good faith effort to carry out appropriate identification efforts, which may include background research, consultation, oral history interviews, sample field investigation, and field survey. Based on the information submitted and these efforts, the district engineer shall determine whether the proposed activity has the potential to cause an effect on the historic properties. Where the non-Federal applicant has identified historic properties on which the activity may have the potential to cause effects and so notified the Corps, the non-Federal applicant shall not begin the activity until notified by the district engineer either that the activity has no potential to cause effects or that consultation under Section 106 of the NHPA has been completed.

(d) The district engineer will notify the prospective permittee within 45 days of receipt of a complete pre-construction notification whether NHPA Section 106 consultation is required. Section 106 consultation is not required when the Corps determines that the activity does not have the potential to cause effects on historic properties (see 36 CFR §800.3(a)). If NHPA section 106 consultation is required and will occur, the district engineer will notify the non-Federal applicant that he or she cannot begin work until Section 106 consultation is completed. If the non-Federal applicant has not heard back from the Corps within 45 days, the applicant must still wait for notification from the Corps.

(e) Prospective permittees should be aware that section 110k of the NHPA (16 U.S.C. 470h-2(k)) prevents the Corps from granting a permit or other assistance to an applicant who, with intent to avoid the requirements of Section 106 of the NHPA, has intentionally significantly adversely affected a historic property to which the permit would relate, or having legal power to prevent it, allowed such significant adverse effect to occur, unless the Corps, after consultation with the Advisory Council on Historic Preservation (ACHP), determines that circumstances justify granting such assistance despite the adverse effect created or permitted by the applicant. If circumstances justify granting the assistance, the Corps is required to notify the ACHP and provide documentation specifying the circumstances, the degree of damage to the integrity of any historic properties affected, and proposed mitigation. This documentation must include any views obtained from the applicant, SHPO/THPO, appropriate Indian tribes if the undertaking occurs on or affects historic properties on tribal lands or affects properties of interest to those tribes, and other parties known to have a legitimate interest in the impacts to the permitted activity on historic properties.

21. Discovery of Previously Unknown Remains and Artifacts. If you discover any previously unknown historic, cultural or archeological remains and artifacts while accomplishing the activity authorized by this permit, you must immediately notify the district engineer of what you have found, and to the maximum extent practicable, avoid construction activities that may affect the remains and artifacts until the required coordination has been completed. The district engineer will initiate the Federal, Tribal and state coordination required to determine if the items or remains warrant a recovery effort or if the site is eligible for listing in the National Register of Historic Places.

22. Designated Critical Resource Waters. Critical resource waters include, NOAA-managed marine sanctuaries and marine monuments, and National Estuarine Research Reserves. The district engineer may designate, after notice and opportunity for public comment, additional waters officially designated by a state as having particular environmental or ecological significance, such as outstanding national resource waters or state natural heritage sites. The district engineer may also designate additional critical resource waters after notice and opportunity for public comment.

(a) Discharges of dredged or fill material into waters of the United States are not authorized by NWP 7, 12, 14, 16, 17, 21, 29, 31, 35, 39, 40, 42, 43, 44, 49, 50, 51, and 52 for any activity within, or directly affecting, critical resource waters, including wetlands adjacent to such waters.

(b) For NWPs 3, 8, 10, 13, 15, 18, 19, 22, 23, 25, 27, 28, 30, 33, 34, 36, 37, and 38, notification is required in accordance with general condition 31, for any activity proposed in the designated critical resource waters including wetlands adjacent to those waters. The district engineer may authorize activities under these NWPs only after it is determined that the impacts to the critical resource waters will be no more than minimal.

23. Mitigation. The district engineer will consider the following factors when determining appropriate and practicable mitigation necessary to ensure that adverse effects on the aquatic environment are minimal:

(a) The activity must be designed and constructed to avoid and minimize adverse effects, both temporary and permanent, to waters of the United States to the maximum extent practicable at the project site (i.e., on site).

(b) Mitigation in all its forms (avoiding, minimizing, rectifying, reducing, or compensating for resource losses) will be required to the extent necessary to ensure that the adverse effects to the aquatic environment are minimal.

(c) Compensatory mitigation at a minimum one-for-one ratio will be required for all wetland losses that exceed 1/10-acre and require pre-construction notification, unless the district engineer determines in writing that either some other form of mitigation would be more environmentally appropriate or the adverse effects of the proposed activity are minimal, and provides a project-specific waiver of this requirement. For wetland losses of 1/10-acre or less that require pre-construction notification, the district engineer may determine on a case-by-case basis that compensatory mitigation is required to ensure that the activity results in minimal adverse effects on the aquatic environment. Compensatory mitigation projects provided to offset losses of aquatic resources must comply with the applicable provisions of 33 CFR part 332.

(1) The prospective permittee is responsible for proposing an appropriate compensatory mitigation option if compensatory mitigation is necessary to ensure that the activity results in minimal adverse effects on the aquatic environment.

(2) Since the likelihood of success is greater and the impacts to potentially valuable uplands are reduced, wetland restoration should be the first compensatory mitigation option considered.

(3) If permittee-responsible mitigation is the proposed option, the prospective permittee is responsible for submitting a mitigation plan. A conceptual or detailed mitigation plan may be used by the district engineer to make the decision on the NWP verification request, but a final mitigation plan that addresses the applicable requirements of 33 CFR 332.4(c)(2) – (14) must be approved by the district engineer before the permittee begins work in waters of the United States, unless the district engineer determines that prior approval of the final mitigation plan is not practicable or not necessary to ensure timely completion of the required compensatory mitigation (see 33 CFR 332.3(k)(3)).

(4) If mitigation bank or in-lieu fee program credits are the proposed option, the mitigation plan only needs to address the baseline conditions at the impact site and the number of credits to be provided.

(5) Compensatory mitigation requirements (e.g., resource type and amount to be provided as compensatory mitigation, site protection, ecological performance standards, monitoring requirements) may be addressed through conditions added to the NWP authorization, instead of components of a compensatory mitigation plan.

(d) For losses of streams or other open waters that require pre-construction notification, the district engineer may require compensatory mitigation, such as stream rehabilitation, enhancement, or preservation, to ensure that the activity results in minimal adverse effects on the aquatic environment.

(e) Compensatory mitigation will not be used to increase the acreage losses allowed by the acreage limits of the NWPs. For example, if an NWP has an acreage limit of 1/2-acre, it cannot be used to authorize any project resulting in the loss of greater than 1/2-acre of waters of the United States, even if compensatory mitigation is provided that replaces or restores some of the lost waters. However, compensatory mitigation can and should be used, as necessary, to ensure that a project already meeting the established acreage limits also satisfies the minimal impact requirement associated with the NWPs.

(f) Compensatory mitigation plans for projects in or near streams or other open waters will normally include a requirement for the restoration or establishment, maintenance, and legal protection (e.g., conservation easements) of riparian areas next to open waters. In some cases, riparian areas may be the only compensatory mitigation required. Riparian areas should consist of native species. The width of the required riparian area will address documented water quality or aquatic habitat loss concerns. Normally, the riparian area will be 25 to 50 feet wide on each side of the stream, but the district engineer may require slightly wider riparian areas to address documented water quality or habitat loss concerns. If it is not possible to establish a riparian area on both sides of a stream, or if the waterbody is a lake or coastal waters, then restoring or establishing a riparian area along a single bank or shoreline may be sufficient. Where both wetlands and open waters exist on the project site, the

district engineer will determine the appropriate compensatory mitigation (e.g., riparian areas and/or wetlands compensation) based on what is best for the aquatic environment on a watershed basis. In cases where riparian areas are determined to be the most appropriate form of compensatory mitigation, the district engineer may waive or reduce the requirement to provide wetland compensatory mitigation for wetland losses.

(g) Permittees may propose the use of mitigation banks, in-lieu fee programs, or separate permittee-responsible mitigation. For activities resulting in the loss of marine or estuarine resources, permittee-responsible compensatory mitigation may be environmentally preferable if there are no mitigation banks or in-lieu fee programs in the area that have marine or estuarine credits available for sale or transfer to the permittee. For permittee-responsible mitigation, the special conditions of the NWP verification must clearly indicate the party or parties responsible for the implementation and performance of the compensatory mitigation project, and, if required, its long-term management.

(h) Where certain functions and services of waters of the United States are permanently adversely affected, such as the conversion of a forested or scrub-shrub wetland to a herbaceous wetland in a permanently maintained utility line right-of-way, mitigation may be required to reduce the adverse effects of the project to the minimal level.

24. Safety of Impoundment Structures. To ensure that all impoundment structures are safely designed, the district engineer may require non-Federal applicants to demonstrate that the structures comply with established state dam safety criteria or have been designed by qualified persons. The district engineer may also require documentation that the design has been independently reviewed by similarly qualified persons, and appropriate modifications made to ensure safety.

25. Water Quality. Where States and authorized Tribes, or EPA where applicable, have not previously certified compliance of an NWP with CWA Section 401, individual 401 Water Quality Certification must be obtained or waived (see 33 CFR 330.4(c)). The district engineer or State or Tribe may require additional water quality management measures to ensure that the authorized activity does not result in more than minimal degradation of water quality.

26. Coastal Zone Management. In coastal states where an NWP has not previously received a state coastal zone management consistency concurrence, an individual state coastal zone management consistency concurrence must be obtained, or a presumption of concurrence must occur (see 33 CFR 330.4(d)). The district engineer or a State may require additional measures to ensure that the authorized activity is consistent with state coastal zone management requirements.

27. Regional and Case-By-Case Conditions. The activity must comply with any regional conditions that may have been added by the Division Engineer (see 33 CFR 330.4(e)) and with any case specific conditions added by the Corps or by the state, Indian Tribe, or U.S. EPA in its section 401 Water Quality Certification, or by the state in its Coastal Zone Management Act consistency determination.

28. Use of Multiple Nationwide Permits. The use of more than one NWP for a single and complete project is prohibited, except when the acreage loss of waters of the United States authorized by the NWPs does not exceed the acreage limit of the NWP with the highest specified acreage limit. For example, if a road crossing over tidal waters is constructed under NWP 14, with associated bank stabilization authorized by NWP 13, the maximum acreage loss of waters of the United States for the total project cannot exceed 1/3-acre.

29. Transfer of Nationwide Permit Verifications. If the permittee sells the property associated with a nationwide permit verification, the permittee may transfer the nationwide permit verification to the new owner by submitting a letter to the appropriate Corps district office to validate the transfer. A copy of the nationwide permit verification must be attached to the letter, and the letter must contain the following statement and signature:

“When the structures or work authorized by this nationwide permit are still in existence at the time the property is transferred, the terms and conditions of this nationwide permit, including any special conditions, will continue to be binding on the new owner(s) of the property. To validate the transfer of this nationwide permit and the associated liabilities associated with compliance with its terms and conditions, have the transferee sign and date below.”

(Transferee)

(Date)

30. Compliance Certification. Each permittee who receives an NWP verification letter from the Corps must provide a signed certification documenting completion of the authorized activity and any required compensatory mitigation. The success of any required permittee-responsible mitigation, including the achievement of ecological performance standards, will be addressed separately by the district engineer. The Corps will provide the permittee the certification document with the NWP verification letter. The certification document will include:

(a) A statement that the authorized work was done in accordance with the NWP authorization, including any general, regional, or activity-specific conditions;

(b) A statement that the implementation of any required compensatory mitigation was completed in accordance with the permit conditions. If credits from a mitigation bank or in-lieu fee program are used to satisfy the compensatory mitigation requirements, the certification must include the documentation required by 33 CFR 332.3(l)(3) to confirm that the permittee secured the appropriate number and resource type of credits; and

(c) The signature of the permittee certifying the completion of the work and mitigation.

31. Pre-Construction Notification. (a) Timing. Where required by the terms of the NWP, the prospective permittee must notify the district engineer by submitting a pre-construction notification (PCN) as early as possible. The district engineer must determine if the PCN is complete within 30 calendar days of the date of receipt and, if the PCN is determined to be incomplete, notify the prospective permittee within that 30 day period to request the additional information necessary to make the PCN complete. The request must specify the information needed to make the PCN complete. As a general rule, district engineers will request additional information necessary to make the PCN complete only once.

However, if the prospective permittee does not provide all of the requested information, then the district engineer will notify the prospective permittee that the PCN is still incomplete and the PCN review process will not commence until all of the requested information has been received by the district engineer. The prospective permittee shall not begin the activity until either:

(1) He or she is notified in writing by the district engineer that the activity may proceed under the NWP with any special conditions imposed by the district or division engineer; or

(2) 45 calendar days have passed from the district engineer's receipt of the complete PCN and the prospective permittee has not received written notice from the district or division engineer. However, if the permittee was required to notify the Corps pursuant to general condition 18 that listed species or critical habitat might be affected or in the vicinity of the project, or to notify the Corps pursuant to general condition 20 that the activity may have the potential to cause effects to historic properties, the permittee cannot begin the activity until receiving written notification from the Corps that there is "no effect" on listed species or "no potential to cause effects" on historic properties, or that any consultation required under Section 7 of the Endangered Species Act (see 33 CFR 330.4(f)) and/or Section 106 of the National Historic Preservation (see 33 CFR 330.4(g)) has been completed. Also, work cannot begin under NWPs 21, 49, or 50 until the permittee has received written approval from the Corps. If the proposed activity requires a written waiver to exceed specified limits of an NWP, the permittee may not begin the activity until the district engineer issues the waiver. If the district or division engineer notifies the permittee in writing that an individual permit is required within 45 calendar days of receipt of a complete PCN, the permittee cannot begin the activity until an individual permit has been obtained. Subsequently, the permittee's right to proceed under the NWP may be modified, suspended, or revoked only in accordance with the procedure set forth in 33 CFR 330.5(d)(2).

(b) Contents of Pre-Construction Notification: The PCN must be in writing and include the following information:

(1) Name, address and telephone numbers of the prospective permittee;

(2) Location of the proposed project;

(3) A description of the proposed project; the project's purpose; direct and indirect adverse environmental effects the project would cause, including the anticipated amount of loss of water of the United States expected to result from the NWP activity, in acres, linear feet, or other appropriate unit of measure; any other NWP(s), regional general permit(s), or individual permit(s) used or intended to be used to authorize any part of the proposed project or any related activity. The description should be sufficiently detailed to allow the district engineer to determine that the adverse effects of the project will be minimal and to determine the need for compensatory mitigation. Sketches should be provided when necessary to show that the activity complies with the terms of the NWP. (Sketches usually clarify the project and when provided results in a quicker decision. Sketches should contain sufficient detail to provide an illustrative description of the proposed activity (e.g., a conceptual plan), but do not need to be detailed engineering plans);

(4) The PCN must include a delineation of wetlands, other special aquatic sites, and other waters, such as lakes and ponds, and perennial, intermittent, and ephemeral streams, on the project site. Wetland delineations must be prepared in accordance with the current method required by the Corps. The permittee may ask the Corps to delineate the special aquatic sites and other waters on the project site, but there may be a delay if the Corps does the delineation, especially if the project site is large or contains many waters of the United States. Furthermore, the 45 day period will not start until the delineation has been submitted to or completed by the Corps, as appropriate;

(5) If the proposed activity will result in the loss of greater than 1/10-acre of wetlands and a PCN is required, the prospective permittee must submit a statement describing how the mitigation requirement will be satisfied, or explaining why the adverse effects are minimal and why compensatory mitigation should not be required. As an alternative, the prospective permittee may submit a conceptual or detailed mitigation plan.

(6) If any listed species or designated critical habitat might be affected or is in the vicinity of the project, or if the project is located in designated critical habitat, for non-Federal applicants the PCN must include the name(s) of those endangered or threatened species that might be affected by the proposed work or utilize the designated critical habitat that may be affected by the proposed work. Federal applicants must provide documentation demonstrating compliance with the Endangered Species Act; and

(7) For an activity that may affect a historic property listed on, determined to be eligible for listing on, or potentially eligible for listing on, the National Register of Historic Places, for non-Federal applicants the PCN must state which historic property may be affected by the proposed work or include a vicinity map indicating the location of the historic property. Federal applicants must provide documentation demonstrating compliance with Section 106 of the National Historic Preservation Act.

(c) Form of Pre-Construction Notification: The standard individual permit application form (Form ENG 4345) may be used, but the completed application form must clearly indicate that it is a PCN and must include all of the information required in paragraphs (b)(1) through (7) of this general condition. A letter containing the required information may also be used.

(d) Agency Coordination: (1) The district engineer will consider any comments from Federal and state agencies concerning the proposed activity's compliance with the terms and conditions of the NWPs and the need for mitigation to reduce the project's adverse environmental effects to a minimal level.

(2) For all NWP activities that require pre-construction notification and result in the loss of greater than 1/2-acre of waters of the United States, for NWP 21, 29, 39, 40, 42, 43, 44, 50, 51, and 52 activities that require pre-construction notification and will result in the loss of greater than 300 linear feet of stream bed, and for all NWP 48 activities that require pre-construction notification, the district engineer will immediately provide (e.g., via e-mail, facsimile transmission, overnight mail, or other expeditious manner) a copy of the complete PCN to the appropriate Federal or state offices (U.S. FWS, state natural resource or water quality agency, EPA, State Historic Preservation Officer (SHPO) or Tribal Historic Preservation Office (THPO), and, if appropriate, the NMFS). With the exception of NWP 37, these agencies will have 10 calendar days from the date the material is transmitted to telephone or fax the district engineer notice that they intend to provide substantive, site-specific comments. The comments must explain why the agency believes the adverse effects will be more than minimal. If so contacted by an agency, the district engineer will wait an additional 15 calendar days before making a decision on the pre-construction notification. The district engineer will fully consider agency comments received within the specified time frame concerning the proposed activity's compliance with the terms and conditions of the NWPs, including the need for mitigation to ensure the net adverse environmental effects to the aquatic environment of the proposed activity are minimal. The district engineer will provide no response to the resource agency, except as provided below. The district engineer will indicate in the administrative record associated with each pre-construction notification that the resource agencies' concerns were considered. For NWP 37, the emergency watershed protection and rehabilitation activity may proceed immediately in cases where there is an unacceptable hazard to life or a significant loss of property or economic hardship will occur. The district engineer will consider any comments received to decide whether the NWP 37 authorization should be modified, suspended, or revoked in accordance with the procedures at 33 CFR 330.5.

(3) In cases of where the prospective permittee is not a Federal agency, the district engineer will provide a response to NMFS within 30 calendar days of receipt of any Essential Fish Habitat conservation recommendations, as required by Section 305(b)(4)(B) of the Magnuson-Stevens Fishery Conservation and Management Act.

(4) Applicants are encouraged to provide the Corps with either electronic files or multiple copies of pre-construction notifications to expedite agency coordination.

D. District Engineer's Decision

1. In reviewing the PCN for the proposed activity, the district engineer will determine whether the activity authorized by the NWP will result in more than minimal individual or cumulative adverse environmental effects or may be contrary to the public interest. For a linear project, this determination will include an evaluation of the individual crossings to determine whether they individually satisfy the terms and conditions of the NWP(s), as well as the cumulative effects caused by all of the crossings authorized by NWP. If an applicant requests a waiver of the 300 linear foot limit on impacts to intermittent or ephemeral streams or of an otherwise applicable limit, as provided for in NWPs 13, 21, 29, 36, 39, 40, 42, 43, 44, 50, 51 or 52, the district engineer will only grant the waiver upon a written determination that the NWP activity will result in minimal adverse effects. When making minimal effects determinations the district engineer will consider the direct and indirect effects caused by the NWP activity. The district engineer will also consider site specific factors, such as the environmental setting in the vicinity of the NWP activity, the type of resource that will be affected by the NWP activity, the functions provided by the aquatic resources that will be affected by the NWP activity, the degree or magnitude to which the aquatic resources perform those functions, the extent that aquatic resource functions will be lost as a result of the NWP activity (e.g., partial or complete loss), the duration of the adverse effects (temporary or permanent), the importance of the aquatic resource functions to the region (e.g., watershed or ecoregion), and mitigation required by the district engineer. If an appropriate functional assessment method is available and practicable to use, that assessment method may be used by the district engineer to assist in the minimal adverse effects determination. The district engineer may add case-specific special conditions to the NWP authorization to address site-specific environmental concerns.

2. If the proposed activity requires a PCN and will result in a loss of greater than 1/10-acre of wetlands, the prospective permittee should submit a mitigation proposal with the PCN. Applicants may also propose compensatory mitigation for projects with smaller impacts. The district engineer will consider any proposed compensatory mitigation the applicant has included in the proposal in determining whether the net adverse environmental effects to the aquatic environment of the proposed activity are minimal. The compensatory mitigation proposal may be either conceptual or detailed. If the district engineer determines that the activity complies with the terms and conditions of the NWP and that the adverse effects on the aquatic environment are minimal, after considering mitigation, the district engineer will notify the permittee and include any activity-specific conditions in the NWP verification the district engineer deems necessary. Conditions for compensatory mitigation requirements must comply with the appropriate provisions at 33 CFR 332.3(k). The district engineer must approve the final mitigation plan before the permittee commences work in waters of the United States, unless the district engineer determines that prior approval of the final mitigation plan is not practicable or not necessary to ensure timely completion of the required compensatory mitigation. If the prospective permittee elects to submit a compensatory mitigation plan with the PCN, the district engineer will expeditiously review the proposed compensatory mitigation plan. The district engineer must review the proposed compensatory mitigation plan within 45 calendar days of receiving a complete PCN and determine whether the proposed mitigation would ensure no more than minimal adverse effects on the aquatic environment. If the net adverse effects of the project on the aquatic environment (after consideration of the compensatory mitigation proposal) are determined by the district engineer to be minimal, the district engineer will provide a timely written response to the applicant. The response will state that the project can proceed under the terms and conditions of the NWP, including any activity-specific conditions added to the NWP authorization by the district engineer.

3. If the district engineer determines that the adverse effects of the proposed work are more than minimal, then the district engineer will notify the applicant either: (a) That the project does not qualify for authorization under the NWP and instruct the applicant on the procedures to seek authorization under an individual permit; (b) that the project is authorized under the NWP subject to the applicant's submission of a mitigation plan that would reduce the adverse effects on the aquatic environment to the minimal level; or (c) that the project is authorized under the NWP with specific modifications or conditions. Where the district engineer determines that mitigation is required to ensure no more than minimal adverse effects occur to the aquatic environment, the activity will be authorized within the 45-day PCN period, with activity-specific conditions that state the mitigation requirements. The authorization will include the necessary conceptual or detailed mitigation or a requirement that the applicant submit a mitigation plan that would reduce the adverse effects on the aquatic environment to the minimal level. When mitigation is required, no work in waters of the United States may occur until the district engineer has approved a specific mitigation plan or has determined that prior approval of a final mitigation plan is not practicable or not necessary to ensure timely completion of the required compensatory mitigation.

E. Regional General Conditions

1. Nationwide Permits shall not authorize any activity which impacts bogs and/or fens.
2. No Nationwide permit may be used in Lake Erie for purposes of diverting water from the Great Lakes.
3. Nationwide Permits shall not authorize any activity which will trap littoral material and interrupt littoral transport within Lake Erie, Sandusky Bay, and Maumee Bay.
4. **ODNR In-Water Work Exclusion Dates:** Any work associated with a Nationwide permit cannot take place during the restricted period of the following ODNR, Division of Wildlife Statewide In-Water Work Restrictions unless the applicant notifies the District Engineer in accordance Nationwide Permit General Condition 31 and receives written approval from the Corps:

<u>Location</u>	<u>Restricted Period</u>
Salmonid streams ¹	9/15 – 6/30
Percid streams ²	3/15 – 6/30
Other streams ³	4/15 – 6/30

1. **Arcola Creek** (entire reach), **Ashtabula River** (Hadlock Rd. to mouth), **Ashtabula Harbor**, **Aurora** Branch of the Chagrin River (RM 0.38 to mouth), **Big Creek** ((Grand River drainage basin) Girdled Road to mouth), **Chagrin River** (Chagrin Falls to mouth), **Cold Creek** (entire reach), **Conneaut Creek** (entire reach), **Conneaut Harbor**, **Corporation Creek** ((Chagrin River RM 0.27) entire reach), **Cowles Creek** (entire reach), **Ellison Creek** ((Grand River drainage basin) entire reach), **Euclid Creek** (entire reach), **Grand River** (to dam at Harpersfield Covered Bridge Park just upstream of the S.R. 534 bridge to mouth)/**Fairport Harbor**, **Gulley Brook** ((Chagrin River RM 5.54) entire reach), **Indian Creek** (entire reach), **Kellogg Creek** (Grand River drainage basin) entire reach), **Mill Creek** ((Grand River drainage basin) entire reach), **Paine Creek** ((Grand River drainage basin) from Paine Falls to mouth), **Rocky River** (Cedar Point Rd. (East Branch/West Branch confluence) to mouth), **Smokey Run** ((Conneaut Creek RM 3.5) entire reach), **Turkey Creek** (entire reach), **Vermilion River** (dam at Wakeman upstream of the S.R. 20/60 bridge to mouth), **Ward Creek** ((Chagrin River RM 1.0) entire reach), **Wheeler Creek** (entire reach), **Whitman Creek** (entire reach).

2. **Cuyahoga River** (dam below the S.R. 82 bridge east of Brecksville (Chippewa Rd.) to mouth), **Great Miami River** (dam south of New Baltimore to mouth), **Hocking River** (lower section), **Huron River** (from the East Branch/West Branch confluence to Lake Erie), **Little Miami River** (lower section), **Maumee River** (split dam at Mary Jane Thurston State Park and Providence Park in Grand Rapids to mouth), **Maumee Bay**, **Muskingum River** (to Devola Dam No. 2 off S.R. 60 north of Marietta to mouth), **Ohio River** (entire reach), **Portage River** (entire reach), **Sandusky River** (to Ballville Dam off River Road in Fremont to mouth), **Sandusky Bay**, **Scioto River** (lower section), **Toussaint River** (entire reach).

3. **Class 3 primary headwater streams** (watershed ≤ 1 mi²), **EWH, CWH, WWH**, or streams **with T&E species**. Includes **Lake Erie & bays** not listed above. Special conditions (such as occurrence of T&E species) may mandate local variation of restrictions.

Note: This condition does not apply to Ohio Department of Transportation projects that are covered under the "Memorandum of Agreement between Ohio Department of Transportation, Federal Highway Administration, Ohio Department of Natural Resources, and United States Fish and Wildlife Service For Interagency Coordination For Highway Projects Which Involve Stream Crossings, Bank Stabilization, and/or Minor Wetland Fills.

5. Waters of Special Concern: The applicant must notify the District Engineer in accordance with Nationwide Permit General Condition 31 and Regional General Condition 6 for activities in the following resources:

a. Category 3 Wetlands: Notification is required for all temporary or permanent impacts to Category 3 wetlands as determined through use of the latest approved version of Ohio EPA's Ohio Rapid Assessment Method (ORAM) for wetland evaluation **long form**.

b. Ohio Stream Designations:

Notification is required for all temporary or permanent impacts to Exceptional Warmwater Habitat, Cold Water Habitat, Seasonal Salmonid, or any equivalent designation; or water bodies with an antidegradation category of Superior High Quality Water, Outstanding National Resource Water, or Outstanding State Waters as determined by Ohio EPA except for NWP 1, 2, 3, 9, 10, 11, 27, 28, 32, and 35 or maintenance activities covered under NWPs 7 and 12. The current list of these streams can be found on the Ohio EPA web-site at: http://www.epa.ohio.gov/dsw/rules/3745_1.aspx. You should look for these designations under the aquatic life use of the stream within its basin and under the "Anti-deg Rule #05."

c. State Wild and Scenic Rivers: Notification is required for all activities in State Wild and Scenic Rivers. The following are **State Wild and Scenic Rivers**:

The Ashtabula River

- The Ashtabula River from the confluence of the East Branch and West Branch of the Ashtabula River at river mile 27.54, downstream to the East 24th Street bridge crossing at river mile 2.3.
- The East Branch of the Ashtabula River from Pennline Fen at river mile 12.0, downstream to the mouth of the East Branch at river mile 0.0.
- The West Branch of the Ashtabula River from the North Richmond Road (Co. Rd. 302) bridge crossing at river mile 9.05, downstream to the mouth of the West Branch at river mile 0.0.
- Miles designated (approximate): Scenic 46

Big and Little Darby Creeks

- Big Darby Creek from the Champaign/Union County line downstream to the U.S. Rt. 40 bridge, from the northern boundary of Battelle-Darby Creek Metro Park to the confluence with the Little Darby Creek downstream to the Scioto River.
- Little Darby Creek from the Lafayette-Plain City Road bridge downstream to the confluence with Big Darby Creek.
- Miles designated (approximate): 84

Chagrin River

- Aurora Branch from St. Rt. 82 bridge downstream to confluence with the Chagrin River.
- Chagrin River from confluence with Aurora Branch downstream to U.S. Rt. 6 bridge.
- Chagrin River from Woodiebrook Road bridge crossing downstream to the confluence with Aurora Branch of the Chagrin River in Bentleyville.
- East Branch from Heath Road bridge downstream to confluence with the Chagrin River.
- Miles designated (approximate): Scenic 71

Conneaut Creek

- *Scenic Segment*: Creek Road bridge crossing to the Penn Central Railroad bridge crossing at river mile 2.0 in Conneaut.
- *Wild Segment*: Ohio/Pennsylvania border at river mile 23.83 to the Creek Road bridge crossing at river mile 7.39.
- Miles designated (approximate): Scenic 5.39, Wild 16.44, Total 21.83

Grand River

- *Wild segment* - from Harpersfield covered bridge downstream to Norfolk and Western Railroad trestle south of Painesville.
- *Scenic segment* - from U.S. Rt. 322 bridge in Ashtabula County downstream to Harpersfield covered bridge.
- Miles designated (approximate): Scenic 33, Wild 23, Total 56

Kokosing River

- Kokosing River from Knox/Morrow County line to confluence with Mohican River.
- North Branch of Kokosing from confluence with East Branch downstream to confluence with main stem.
- Miles designated (approximate): 48

Little Beaver Creek

- *Wild segments* - **West Fork** from 1/4 mile downstream from Twp. Rd. 914 to confluence with Middle Fork. **North Fork** from Twp. Rd. 952 to confluence with Little Beaver Creek. **Little Beaver Creek** from confluence of West and Middle Forks downstream to 3/4 mile north of Grimm's Bridge.
- *Scenic segments* - **North Fork** from Ohio-Pennsylvania line downstream to Jackman Road. **Middle Fork** from Elkton Road. (Twp. Rd. 901) downstream to confluence with West Fork. **Little Beaver Creek** from 3/4 mile north of Grimm's Bridge downstream to the Ohio-Pennsylvania line.
- Miles designated (approximate): Wild 20, Scenic 16, Total 36

Little Miami River

- Clermont County line at Loveland to headwaters, including North Fork, Clermont County line at Loveland to confluence with East Fork and from the confluence with East Fork to Ohio River.
- Miles designated (approximate): 105

Maumee River

- *Scenic segment* - Ohio-Indiana line to St. Rt. 24 bridge west of Defiance.
- *Recreational segment* - St. Rt. 24 bridge west of Defiance to U.S. Rt. 25 bridge near Perrysburg.
- Miles designated (approximate): Scenic 43, Recreational 53

Mohican River

- The entire main stem of the Mohican River from the confluence of the Clear Fork to the confluence with the Kokosing State Scenic River.
- The Clear Fork of the Mohican River from the base of the Pleasant Hill Dam to the confluence with the Black Fork of the Mohican River.
- Miles designated (approximate): 32.3

Olentangy River

- Delaware Dam to Old Wilson Bridge Road in Worthington.
- Miles designated (approximate): 22

Sandusky River

- U.S. Rt. 30 in Upper Sandusky to Roger Young Memorial Park in Fremont.
- Miles designated (approximate): 65

Stillwater River System

- *Recreational segment* - Englewood dam to confluence with Great Miami River.
- *Scenic segments* - Stillwater River from Riffle Road bridge in Darke County to Englewood dam.
- Greenville Creek from the Ohio-Indiana state line to the confluence with the Stillwater.
- Miles designated (approximate): Scenic 83, Recreational 10

Upper Cuyahoga River

- Troy-Burton Township line in Geauga County to St. Rt. 14.
- Miles designated (approximate): Scenic 25

d. National Wild and Scenic Rivers: Notification is required for all work in components of the National Wild and Scenic River System. The following are components of the **National Wild and Scenic River System:**

Big and Little Darby Creeks (National Wild and Scenic River System):

- Big Darby Creek from Champaign-Union County line downstream to the Conrail railroad trestle and from the confluence with the Little Darby Creek downstream to the Scioto River.
- Little Darby Creek from the Lafayette-Plain City Road bridge downstream to within 0.8 mile from the confluence with Big Darby Creek.
- Total designation is approximately 82 miles.

Little Beaver Creek (National Wild and Scenic River System):

- Little Beaver Creek main stem, from the confluence of West Fork with Middle Fork near Williamsport to mouth.
- North Fork from confluence of Brush Run and North Fork to confluence of North Fork with main stem at Fredericktown.
- Middle Fork from vicinity of Co. Rd. 901 (Elkton Road) bridge crossing to confluence of Middle Fork with West Fork near Williamsport.
- West Fork from vicinity of Co. Rd. 914 (Y-Camp Road) bridge crossing east to confluence of West Fork with Middle Fork near Williamsport.
- Total designation is 33 miles.

Little Miami (National Wild and Scenic River System)

- Little Miami River - St. Rt. 72 at Clifton to the Ohio River
- Caesar Creek: lower two miles of Caesars Creek.
- Total designation is 94 miles.

e. Endangered Species: Due to the potential presence of Federally threatened or endangered species or their habitats, Notification is required for all work in the following waterway or township of the corresponding county:

County	Waterway	Township
Adams	Ohio Brush Creek, Ohio River, Scioto Brush Creek, South Fork Scioto Brush Creek, West Fork Ohio Brush Creek	
Allen	Auglaize River, Cranberry Creek, Ottawa River, Riley Creek, Sugar Creek	
Ashtabula	Grand River, Pymatuning Creek	
Athens	Ohio River	
Auglaize	Auglaize River, Pusheta Creek, St. Marys River	
Belmont	Ohio River	
Brown	Eagle Creek, East Fork Eagle Creek, East Fork Little Miami River, East Fork Whiteoak Creek, Ohio River, Straight Creek, West Fork Eagle Creek, Whiteoak Creek	
Butler	Dicks Creek, Dry Fork Whitewater River, Elk Creek, Four Mile Creek, Great Miami River, Indian Creek, Sevenmile Creek	
Champaign	Chapman Creek, Kings Creek, Mad River, Nettle Creek	
Clark	Beaver Creek, Chapman Creek, Honey Creek, Little Miami River, Mad River, Mud Run	Bethel
Clermont	East Fork Little Miami River, Indian Creek, Little Miami River, O'Bannon Creek, Ohio River, Stonelick Creek	
Clinton	Anderson Fork, Cowan Creek, Little East Fork, Rattlesnake Creek, Todd Fork Little Miami River	
Columbiana	Ohio River	
Coshocton	Doughty Creek, Killbuck Creek, Kokosing River, Mill Creek, Mohican River, Muskingum River, Tuscarawas River, Wakatomika Creek, Walhonding River, White Eyes Creek, Wills Creek	
Crawford	Broken Sword Creek, Olentangy River, Sandusky River, Sycamore Creek	
Darke	Greenmile Creek, Painter Creek, Stillwater River, Swamp Creek, West Branch Greenmile Creek	

Defiance	Auglaize River, Gordon Creek, Lick Creek, Lost Creek, Maumee River, Mud Creek, North Powell Creek, South Powell Creek, St. Joseph River, Tiffin River	Milford
Delaware	Alum Creek, Big Walnut Creek, Bokes Creek, Mill Creek, Olentangy River, Scioto River, Whetstone Creek	
Fairfield	Clear Creek, Hocking River, Rush Creek, Salt Creek, Walnut Creek	
Fayette	Compton Creek, Deer Creek, East Fork Paint Creek, North Fork Compton Creek, Paint Creek, Rattlesnake Creek, Sugar Creek	
Franklin	Alum Creek, Big Darby Creek, Big Walnut Creek, Blacklick Creek, Hellbranch Run, Little Darby Creek, Olentangy River, Scioto River, Walnut Creek	
Fulton	Bad Creek, Brush Creek, Mill Creek, Swan Creek, Tenmile Creek, Tiffin River	
Gallia	Ohio River	
Greene	Caesar Creek, Little Miami River, Mad River, Massies Creek, Mud Run	
Hamilton	Dry Fork Whitewater River, Great Miami River, Mill Creek, Ohio River, West Fork Mill Creek, Whitewater River	
Hancock	Blanchard River, Eagle Creek, Ottawa Creek, Riley Creek	
Hardin	Blanchard River, Ottawa River, Panther Creek, Scioto River, Taylor Creek	Blanchard, Jackson
Henry	Bad Creek, Beaver Creek, Brush Creek, Lost Creek, Maumee River, South Turkeyfoot Creek, Turkeyfoot Creek	
Highland	Baker Fork, East Fork Little Miami River, East Fork Whiteoak Creek, Lees Creek, Paint Creek, Rattlesnake Creek, Rocky Fork, Whiteoak Creek	
Holmes		Prairie
Jefferson	Ohio River	
Lake	Grand River	
Lawrence	Ohio River	
Logan	Cherokee Mans Run, Great Miami River, Mad River,, Mill Creek, Muchinippi Creek, Rush Creek, Stoney Creek	
Lucas	Maumee River, Swan Creek, Tenmile Creek	Jerusalem
Madison	Big Darby Creek, Bradford Creek, Deer Creek, Little Darby Creek, Paint Creek, Spring Fork, Walnut Run	
Marion	Little Scioto River, Mud Run, Olentangy River, Rush Creek, Scioto River, Tymochtee Creek	
Meigs	Ohio River	
Mercer	Beaver Creek, Black Creek, Burntwood Creek, Chickasaw Creek, Goldwater, Little Beaver Creek, Little Black Creek, Mile Creek, St. Marys River, Twelvemile Creek, Wabash River	
Miami	Great Miami River, Greenville Creek, Honey Creek, Lost Creek, Ludlow Creek, Painter Creek, Spring Creek, Stillwater River	
Monroe	Ohio River	
Montgomery	Great Miami River, Little Bear Creek, Mad River, Stillwater River, Twin Creek, Wolf Creek	
Morgan	Muskingum River	
Morrow	Alum Creek, Big Walnut Creek, Kokosing River, Olentangy River, Shaw Creek, Whetstone Creek	
Muskingum	Muskingum River	
Ottawa	Cedar Creek, Crane Creek, Muddy Creek, Nine Mile Creek, Packer Creek, Portage River, Sugar Creek, Terwilegars Pond, Toussaint Creek, Turtle Creek, Wolf Creek	

Paulding	Auglaize River, Blue Creek, Dog Creek, Flatrock Creek, Gordon Creek, Hagerman Creek, Hoaglin Creek, Little Auglaize River, Maddox Creek, Maumee River, Prairie Creek, Town Creek	
Pickaway	Big Darby Creek, Big Walnut Creek, Deer Creek, Scioto River, Scippo Creek, Walnut Creek	
Pike	Beaver Creek, Crooked Creek, Peepee Creek, Scioto River, Sunfish Creek	
Portage		Aurora
Preble	Bantas Fork, Four Mile Creek, Price Creek, Sevenmile Creek, Twin Creek	
Putnam	Auglaize River, Blanchard River, Cranberry Creek, Little Auglaize River, North Powell Creek, Ottawa River, Plum Creek, Riley Creek, South Powell Creek, Sugar Creek	
Ross	Buckskin Creek, Deer Creek, Kinnikinnick Creek, Little Salt Creek, North Fork Paint Creek, Paint Creek, Pigeon Creek, Salt Creek, Scioto River, Walnut Creek	
Sandusky	East Branch Sandusky River, Green Creek, Little Muddy Creek, Muddy Creek, Muskellunge Creek, Nine Mile Creek, Pickerel Creek, Portage River, Sandusky River, South Creek, Sugar Creek, Toussaint Creek, Wolf Creek (Portage River), Wolf Creek (Sandusky River)	Riley
Scioto	Little Scioto River, Ohio River, Pine Creek, Rocky Fork, Scioto Brush Creek, Scioto River, South Fork Scioto Brush Creek, Turkey Creek	Rush, Union
Seneca	East Branch Sandusky River, Green Creek, Honey Creek, Rock Creek, Sandusky River, Wolf Creek	
Shelby	Great Miami River, Leatherwood Creek, Loramie Creek, Mile Creek, Mosquito Creek	
Trumbull	Grand River, Pymatuning Creek	
Union	Big Darby Creek, Bokes Creek, Little Darby Creek, Mill Creek, Rush Creek	
Van Wert	Black Creek, Blue Creek, Dog Creek, Hagerman Creek, Hoaglin Creek, Little Auglaize River, Maddox Creek, St. Marys River, Town Creek	
Warren	Clear Creek, Great Miami River, Little Miami River, Todd Fork	
Washington	Muskingum River, Ohio River	
Wayne		Clinton, Wooster
Williams	Bear Creek, Brush Creek, Clear Fork, Eagle Creek, East Branch St. Joseph River, Fish Creek, Lick Creek, Mill Creek, Nettle Creek, St. Joseph River, Tiffin River, West Branch St. Joseph River	Bridgewater, Center, Florence, Jefferson, Madison, Northwest, St. Joseph, Superior
Wood	Beaver Creek, Brush Creek, Bull Creek, Cedar Creek, Crane Creek, Cutoff Ditch, East Branch Portage River, Maumee River, Middle Branch Portage River, Portage River, Rocky Ford, South Branch Portage River, Toussaint Creek	
Wyandot	Broken Sword Creek, Sandusky River, Sycamore Creek, Tymochtee Creek	

Note: As mentioned in General Condition 18-*Endangered Species*, Federal Agencies should follow their own procedures for complying with the requirements of the ESA. Federal applicants must provide the District Engineer with the appropriate documentation to demonstrate compliance with those requirements.

f. Critical Resource Waters: Notification is required for all work in Critical Resource Waters. The following are designated as **Critical Resource Waters**:

- Special habitat waters of Lake Erie including the shoreline, off shore islands, rock outcrops, and adjacent waters within the

boundaries defined as 82° 22' 30" West Longitude, 83° 07' 30" West Longitude, 41° 33' 00" North Latitude, and 42° 00' 00" North Latitude.

- In Ohio, two areas have been designated critical habitat for the piping plover (*Charadrius melodus*) and are defined as lands 0.62 miles inland from normal high water line. Unit OH-1 extends from the mouth of Sawmill Creek to the western property boundary of Sheldon Marsh State Natural Area, Erie County, encompassing approximately 2.0 miles. Unit OH-2 extends from the eastern boundary line of Headland Dunes Nature Preserve to the western boundary of the Nature Preserve and Headland Dunes State Park, Lake County, encompassing approximately 0.5 mile.

g. Oak Openings: Notification is required for all activities conducted in the Oak Openings Region of Northwest Ohio located in Lucas, Henry, and Fulton counties. For a map of the Oak Openings Region, visit <http://www.oakopen.org/maps/>.

6. Notification Submittals: In addition to the information required under Nationwide Permit General Condition 31, the following information is needed for all Notifications:

a. Drawings: The Notification must include project drawings on 8 1/2" x 11" paper. The illustrations must clearly depict the project boundaries and include all known elements and phases of the proposed work. Three types of illustrations are needed to properly depict the work to be undertaken. These illustrations or drawings are identified as a Vicinity Map (i.e. a location map such as a USGS topographical map), a Plan View and a Typical Cross-Section. Each illustration should identify the project, the applicant, and the type of illustration (vicinity map, plan view or cross-section). In addition, each illustration should be identified with a figure or attachment number.

b. United States Fish & Wildlife Service (USFWS): Prior to submitting notifications, it is recommended that the applicant contact the USFWS, Ohio Ecological Services Field Office by phone at (614) 416-8993, by e-mail at ohio@fws.gov, through their website at <http://www.fws.gov/midwest/ohio>, or by writing to 625 Morse Road, Suite 104, Columbus, OH 43230. The USFWS can provide information to assist in complying with Nationwide Permit General Condition 18 pertaining to endangered species and Nationwide Permit General Condition 19 pertaining to migratory birds and bald and golden eagles. The USFWS can also provide project recommendations specific to Federal Candidate species and the bald eagle (*Haliaeetus leucocephalus*). Federal Candidate species are those for which the USFWS has sufficient information to propose them as endangered or threatened under the Endangered Species Act (ESA), but for which a listing proposal is precluded by other higher priority listing activities. Information regarding Federal Candidate species can be found at: <http://www.fws.gov/midwest/endangered/section7/s7process/index.html>.

Bald Eagle: Applicants must ensure that activities associated with Nationwide Permits do not result in unpermitted take of bald eagles (*Haliaeetus leucocephalus*) under the Bald and Golden Eagle Protection Act and Migratory Bird Treaty Act. Information regarding activities that may result in take of bald eagles, thus requiring a permit from the USFWS under the Act, can be found at <http://www.fws.gov/midwest/MidwestBird/EaglePermits/index.html>. Applicants should determine whether a bald eagle nest is located near a permitted activity by contacting the U.S. Fish and Wildlife Service, Ohio Ecological Services Field Office, 4625 Morse Road, Suite 104, Columbus, Ohio 43230, phone: 614-416-8993, <http://www.fws.gov/midwest/Ohio/>.

All relevant information obtained from the USFWS should be submitted with the Notification.

c. Cultural Resources: The Notification must provide justified conclusions concerning whether or not the proposed activity could affect any historic properties listed, determined to be eligible, or which you have reason to believe may be eligible, for listing on the National Register of Historic Places. This data shall be utilized by the Corps to determine if the proposed activity has the potential to affect historic properties. Be advised that further effort may be required to take into account the effects the proposed activity may have on historic properties, as required by the National Historic Preservation Act of 1966. To ensure compliance with Nationwide Permit General Condition 20, the following basic project information is needed:

- 1) A detailed description of the project site in its current condition (i.e. prior to construction activities) including information on the terrain and topography of the project site, the acreage of the project site, the proximity of the project site to major waterways, and any known disturbances within the project site. Photographs, keyed to mapping, are also needed which show the site conditions and all buildings or structures both within the project site and on adjacent parcels.
- 2) A detailed description of past land uses in the project site. Particular attention should be given to past activities pertinent to the potential for historic properties to exist in the project area. Photographs and maps supporting past land uses should be provided as available.
- 3) A detailed description of the construction activities proposed to take place on the project site and a comparison of how the site will look after completion of the project compared to how it looked before the project.
- 4) Information regarding any past cultural resource studies or coordination pertinent to the project area, if available.
- 5) Any other data the applicant deems pertinent.

The applicant is encouraged to consult with professionals meeting the Professional Qualification Standards as set forth in the Secretary of the Interior's *Standards and Guidelines for Archeology and Historic Preservation* (48 FR 44716) during this data gathering process. These professionals can assist with compiling the basic project information discussed above and should provide recommendations as to whether or not the proposed project has the potential to affect historic properties and if further effort is required or not required to identify historic properties or assess potential effects to historic properties. These professionals can also

compile basic preliminary review information to submit to the District Engineer. A preliminary resource review encompasses a search radius of 2 miles, centered on the project area, and consists of the following resources:

- 1) OHPO United States Geological Survey (USGS) 7.5' series topographic maps;
- 2) Ohio Archaeological Inventory (OAI) files;
- 3) Ohio Historic Inventory files (OHI);
- 4) OHPO Cultural Resources Management (CRM)/contract archaeology files;
- 5) National Register of Historic Places (NRHP) files including Historic Districts; and
- 6) County atlases, histories and historic USGS 15' series topographic map(s).

As an alternative to submitting the information described above, the applicant may choose to complete the Ohio Historic Preservation Office Section 106 Review Project Summary Form or request comments from the Ohio Historic Preservation Office and District Engineer on specific requirements appropriate to the particular circumstances of the project. Similarly, the applicant may choose to hire someone meeting the Professional Qualification Standards as set forth in the Secretary of the Interior's *Standards and Guidelines for Archeology and Historic Preservation* (48 FR 44716) to conduct what they recommend to be appropriate historic property identification efforts (e.g. archeological survey and/or historic structure inventories) to expedite the review process. Be advised, undertaking identification efforts prior to consideration of the potential of the proposed activity to affect historic properties by the Corps is not without risk. It is possible that previous efforts could be determined insufficient or even potentially unnecessary once reviewed by the Corps and other consulting parties.

Upon receipt and review of the information listed above, the Corps will evaluate the submittal. If the Corps determines the proposed activity has the potential to cause effects to a historic property, the Corps will seek consulting parties. In consultation with those parties, the Corps will scope appropriate historic property identification efforts and take into account the effect of the proposed activity on historic properties.

d. National Wild and Scenic Rivers: Prior to submitting Notifications for work in a National Wild and Scenic River System, it is recommended that the applicant contact the National Park Service Regional Wild and Scenic Rivers Specialist, at the Midwest Regional Office, 601 Riverfront Drive, Omaha, Nebraska 68102, for assistance in complying with Nationwide Permit General Condition 16.

e. 401 Water Quality Certification: For activities that result in between 1/10 and 1/2 acre of loss of waters of the U.S., **two copies** of the Notification must be submitted. In order to determine if a project meets the terms and conditions of Ohio EPA's 401 water quality certification the following additional information must be submitted:

- 1) To determine the quality of the wetlands on the site, all wetland delineations must include the latest approved version of the Ohio Rapid Assessment Method (ORAM) for wetland evaluation **long form**; and
- 2) Photographs of all the waterbodies.

Prior to submitting Notifications, the applicant may contact Ohio EPA, Division of Surface Water by writing to (614) 644-2001 at P.O. Box 1049, Columbus, Ohio 43216-1049 and request verification of the ORAM score of the wetlands on the site to expedite the permit process. All relevant information obtained from Ohio EPA should be submitted with the Notification.

f. Agency Coordination: In an effort to expedite full agency permit review, it is requested that the applicant submit five (5) copies of the Notification package when the Notification requires full agency coordination in accordance with Nationwide Permit General Condition 31 (d)(2). Applicants are encouraged to submit this information in electronic format as CDs, in order to minimize the use of paper.

g. Floodplain Coordination: All Notifications must include a copy of the applicable FIRM map. You can get a FIRMette free from: <http://www.msc.fema.gov>. From this page select the "Product Catalog" tab at the top. Then select "Effective FIRMs /FHBMs". The choices allow you to select a state and county. Then you follow the instructions to create a FIRMette. In addition, from the same web-site, you can obtain a FIRMette for a specific address. From <http://www.msc.fema.gov> conduct a "**Product Search**" for "**Public Flood Map**" and then follow the instructions to create a FIRMette.

Note 1: In circumstances where there is another lead Federal agency with set procedures for addressing Endangered Species, Cultural Resources, and National Wild and Scenic River Coordination, the applicant can submit documentation showing the coordination has already been completed instead of submitting the additional Notification information requested above.

Note 2: Nationwide Permit General Condition 31 requires the applicant to include a delineation of special aquatic sites and all other waters of the U.S. on the project site. Special aquatic sites include sanctuaries and refuges, wetlands, mudflats, vegetated shallows, coral reefs, and riffle and pool complexes.

F. Definitions

Best management practices (BMPs): Policies, practices, procedures, or structures implemented to mitigate the adverse environmental effects on surface water quality resulting from development. BMPs are categorized as structural or non-structural.

Compensatory mitigation: The restoration (re-establishment or rehabilitation), establishment (creation), enhancement, and/or in certain circumstances preservation of aquatic resources for the purposes of offsetting unavoidable adverse impacts which remain after all appropriate and practicable avoidance and minimization has been achieved.

Currently serviceable: Useable as is or with some maintenance, but not so degraded as to essentially require reconstruction.

Direct effects: Effects that are caused by the activity and occur at the same time and place.

Discharge: The term “discharge” means any discharge of dredged or fill material.

Enhancement: The manipulation of the physical, chemical, or biological characteristics of an aquatic resource to heighten, intensify, or improve a specific aquatic resource function(s). Enhancement results in the gain of selected aquatic resource function(s), but may also lead to a decline in other aquatic resource function(s). Enhancement does not result in a gain in aquatic resource area.

Ephemeral stream: An ephemeral stream has flowing water only during, and for a short duration after, precipitation events in a typical year. Ephemeral stream beds are located above the water table year-round. Groundwater is not a source of water for the stream. Runoff from rainfall is the primary source of water for stream flow.

Establishment (creation): The manipulation of the physical, chemical, or biological characteristics present to develop an aquatic resource that did not previously exist at an upland site. Establishment results in a gain in aquatic resource area.

High Tide Line: The line of intersection of the land with the water’s surface at the maximum height reached by a rising tide. The high tide line may be determined, in the absence of actual data, by a line of oil or scum along shore objects, a more or less continuous deposit of fine shell or debris on the foreshore or berm, other physical markings or characteristics, vegetation lines, tidal gages, or other suitable means that delineate the general height reached by a rising tide. The line encompasses spring high tides and other high tides that occur with periodic frequency but does not include storm surges in which there is a departure from the normal or predicted reach of the tide due to the piling up of water against a coast by strong winds such as those accompanying a hurricane or other intense storm.

Historic Property: Any prehistoric or historic district, site (including archaeological site), building, structure, or other object included in, or eligible for inclusion in, the National Register of Historic Places maintained by the Secretary of the Interior. This term includes artifacts, records, and remains that are related to and located within such properties. The term includes properties of traditional religious and cultural importance to an Indian tribe or Native Hawaiian organization and that meet the National Register criteria (36 CFR part 60).

Independent utility: A test to determine what constitutes a single and complete non-linear project in the Corps regulatory program. A project is considered to have independent utility if it would be constructed absent the construction of other projects in the project area. Portions of a multi-phase project that depend upon other phases of the project do not have independent utility. Phases of a project that would be constructed even if the other phases were not built can be considered as separate single and complete projects with independent utility.

Indirect effects: Effects that are caused by the activity and are later in time or farther removed in distance, but are still reasonably foreseeable.

Intermittent stream: An intermittent stream has flowing water during certain times of the year, when groundwater provides water for stream flow. During dry periods, intermittent streams may not have flowing water. Runoff from rainfall is a supplemental source of water for stream flow.

Loss of waters of the United States: Waters of the United States that are permanently adversely affected by filling, flooding, excavation, or drainage because of the regulated activity. Permanent adverse effects include permanent discharges of dredged or fill material that change an aquatic area to dry land, increase the bottom elevation of a waterbody, or change the use of a waterbody. The acreage of loss of waters of the United States is a threshold measurement of the impact to jurisdictional waters for determining whether a project may qualify for an NWP; it is not a net threshold that is calculated after considering compensatory mitigation that may be used to offset losses of aquatic functions and services. The loss of stream bed includes the linear feet of stream bed that is filled or excavated. Waters of the United States temporarily filled, flooded, excavated, or drained, but restored to pre-construction contours and elevations after construction, are not included in the measurement of loss of waters of the United States. Impacts resulting from activities eligible for exemptions under Section 404(f) of the Clean Water Act are not considered when calculating the loss of waters of the United States.

Non-tidal wetland: A non-tidal wetland is a wetland that is not subject to the ebb and flow of tidal waters. The definition of a wetland can be found at 33 CFR 328.3(b). Non-tidal wetlands contiguous to tidal waters are located landward of the high tide line (i.e., spring high tide line).

Open water: For purposes of the NWPs, an open water is any area that in a year with normal patterns of precipitation has water flowing or standing above ground to the extent that an ordinary high water mark can be determined. Aquatic vegetation within the area of standing or flowing water is either non-emergent, sparse, or absent. Vegetated shallows are considered to be open waters. Examples of “open waters” include rivers, streams, lakes, and ponds.

Ordinary High Water Mark: An ordinary high water mark is a line on the shore established by the fluctuations of water and indicated by physical characteristics, or by other appropriate means that consider the characteristics of the surrounding areas (see 33 CFR 328.3(e)).

Perennial stream: A perennial stream has flowing water year-round during a typical year. The water table is located above the stream bed for most of the year. Groundwater is the primary source of water for stream flow. Runoff from rainfall is a supplemental source of water for stream flow.

Practicable: Available and capable of being done after taking into consideration cost, existing technology, and logistics in light of overall project purposes.

Pre-construction notification: A request submitted by the project proponent to the Corps for confirmation that a particular activity is authorized by nationwide permit. The request may be a permit application, letter, or similar document that includes information about the proposed work and its anticipated environmental effects. Pre-construction notification may be required by the terms and conditions of a nationwide permit, or by regional conditions. A pre-construction notification may be voluntarily submitted in cases where pre-construction notification is not required and the project proponent wants confirmation that the activity is authorized by nationwide permit.

Preservation: The removal of a threat to, or preventing the decline of, aquatic resources by an action in or near those aquatic resources. This term includes activities commonly associated with the protection and maintenance of aquatic resources through the implementation of appropriate legal and physical mechanisms. Preservation does not result in a gain of aquatic resource area or functions.

Re-establishment: The manipulation of the physical, chemical, or biological characteristics of a site with the goal of returning natural/historic functions to a former aquatic resource. Re-establishment results in rebuilding a former aquatic resource and results in a gain in aquatic resource area and functions.

Rehabilitation: The manipulation of the physical, chemical, or biological characteristics of a site with the goal of repairing natural/historic functions to a degraded aquatic resource. Rehabilitation results in a gain in aquatic resource function, but does not result in a gain in aquatic resource area.

Restoration: The manipulation of the physical, chemical, or biological characteristics of a site with the goal of returning natural/historic functions to a former or degraded aquatic resource. For the purpose of tracking net gains in aquatic resource area, restoration is divided into two categories: re-establishment and rehabilitation.

Riffle and pool complex: Riffle and pool complexes are special aquatic sites under the 404(b)(1) Guidelines. Riffle and pool complexes sometimes characterize steep gradient sections of streams. Such stream sections are recognizable by their hydraulic characteristics. The rapid movement of water over a coarse substrate in riffles results in a rough flow, a turbulent surface, and high dissolved oxygen levels in the water. Pools are deeper areas associated with riffles. A slower stream velocity, a streaming flow, a smooth surface, and a finer substrate characterize pools.

Riparian areas: Riparian areas are lands adjacent to streams, lakes, and estuarine-marine shorelines. Riparian areas are transitional between terrestrial and aquatic ecosystems, through which surface and subsurface hydrology connects riverine, lacustrine, estuarine, and marine waters with their adjacent wetlands, non-wetland waters, or uplands. Riparian areas provide a variety of ecological functions and services and help improve or maintain local water quality. (See general condition 23.)

Shellfish seeding: The placement of shellfish seed and/or suitable substrate to increase shellfish production. Shellfish seed consists of immature individual shellfish or individual shellfish attached to shells or shell fragments (i.e., spat on shell). Suitable substrate may consist of shellfish shells, shell fragments, or other appropriate materials placed into waters for shellfish habitat.

Single and complete linear project: A linear project is a project constructed for the purpose of getting people, goods, or services from a point of origin to a terminal point, which often involves multiple crossings of one or more waterbodies at separate and distant locations. The term “single and complete project” is defined as that portion of the total linear project proposed or accomplished by one owner/developer or partnership or other association of owners/developers that includes all crossings of a single water of the United States (i.e., a single waterbody) at a specific location. For linear projects crossing a single or multiple waterbodies several times at separate and distant locations, each crossing is considered a single and complete project for purposes of NWP authorization. However, individual channels in a braided stream or river, or individual arms of a large, irregularly shaped wetland or lake, etc., are not separate waterbodies, and crossings of such features cannot be considered separately.

Single and complete non-linear project: For non-linear projects, the term “single and complete project” is defined at 33 CFR 330.2(i) as the total project proposed or accomplished by one owner/developer or partnership or other association of owners/developers. A single and complete non-linear project must have independent utility (see definition of “independent utility”). Single and complete non-linear projects may not be “piecemealed” to avoid the limits in an NWP authorization.

Stormwater management: Stormwater management is the mechanism for controlling stormwater runoff for the purposes of reducing downstream erosion, water quality degradation, and flooding and mitigating the adverse effects of changes in land use on the aquatic environment.

Stormwater management facilities: Stormwater management facilities are those facilities, including but not limited to, stormwater retention and detention ponds and best management practices, which retain water for a period of time to control runoff and/or improve the quality (i.e., by reducing the concentration of nutrients, sediments, hazardous substances and other pollutants) of stormwater runoff.

Stream bed: The substrate of the stream channel between the ordinary high water marks. The substrate may be bedrock or inorganic particles that range in size from clay to boulders. Wetlands contiguous to the stream bed, but outside of the ordinary high water marks, are not considered part of the stream bed.

Stream channelization: The manipulation of a stream’s course, condition, capacity, or location that causes more than minimal interruption of normal stream processes. A channelized stream remains a water of the United States.

Structure: An object that is arranged in a definite pattern of organization. Examples of structures include, without limitation, any pier, boat dock, boat ramp, wharf, dolphin, weir, boom, breakwater, bulkhead, revetment, riprap, jetty, artificial island, artificial reef, permanent mooring structure, power transmission line, permanently moored floating vessel, piling, aid to navigation, or any other manmade obstacle or obstruction.

Tidal wetland: A tidal wetland is a wetland (i.e., water of the United States) that is inundated by tidal waters. The definitions of a wetland and tidal waters can be found at 33 CFR 328.3(b) and 33 CFR 328.3(f), respectively. Tidal waters rise and fall in a predictable and measurable rhythm or cycle due to the gravitational pulls of the moon and sun. Tidal waters end where the rise and fall of the water surface can no longer be practically measured in a predictable rhythm due to masking by other waters, wind, or other effects. Tidal wetlands are located channelward of the high tide line, which is defined at 33 CFR 328.3(d).

Vegetated shallows: Vegetated shallows are special aquatic sites under the 404(b)(1) Guidelines. They are areas that are permanently inundated and under normal circumstances have rooted aquatic vegetation, such as seagrasses in marine and estuarine systems and a variety of vascular rooted plants in freshwater systems.

Waterbody: For purposes of the NWPs, a waterbody is a jurisdictional water of the United States. If a jurisdictional wetland is adjacent – meaning bordering, contiguous, or neighboring – to a waterbody determined to be a water of the United States under 33 CFR 328.3(a)(1)-(6), that waterbody and its adjacent wetlands are considered together as a single aquatic unit (see 33 CFR 328.4(c)(2)). Examples of “waterbodies” include streams, rivers, lakes, ponds, and wetlands.

G. Water Quality Certification

Water Quality Certification General Limitations And Conditions

A. CULVERTS

For intermittent and perennial streams:

1. Bottomless or buried culverts are required when culvert size is greater than 36” diameter. This condition does not apply if the culverts will have a gradient of greater than 1% grade or is installed on bedrock. A buried culvert means that the bottom 10% by dimension shall be buried below the existing stream bed elevation.
2. The culvert shall be designed and sized to accommodate bankfull discharge and match the existing depth of flow to facilitate the passage of aquatic organisms.

3. When practicable, culverts shall be installed at the existing streambed slope, , to allow for the natural movement of bedload and aquatic organisms.
4. The conditions in this section apply only to the installation of new culverts regardless of which NWP is used to authorize the activity.

B. BEST MANAGEMENT PRACTICES

1. All best management practices for storm water management shall be designed and implemented in accordance with the most current edition of the NPDES construction general permit available at: http://www.epa.ohio.gov/dsw/storm/construction_index.aspx#Construction%20General%20Permit_or_any_watershed_specific_construction_general_permit.
2. All avoided water resources and associated buffers/riparian areas shall be demarcated in the field and protected with suitable materials (e.g., silt fencing, snow fencing, signage, etc.) prior to site disturbance. These materials shall remain in place and be maintained throughout the construction process.
3. Disturbance and removal of vegetation from the project construction area is to be avoided where possible and minimized when necessary. Entry to surface waters shall be through a single point of access whenever practicable to minimize disturbance to riparian habitat. Unavoidable temporary impacts to forested riparian habitat shall be restored as soon as practicable after in-water work is complete using tree and shrub species native to the specific ecoregion where the project is located.
4. All dredged material placed at an upland site shall be controlled so that sediment runoff to adjacent surface waters is minimized to the maximum extent practicable.
5. Straw bales shall not be used as a form of erosion/sediment control unless used in conjunction with another structural control such as silt fencing.
6. Heavy equipment shall not be placed below the ordinary high water mark of any surface water, except when no other alternative is practicable.
7. Temporary fill shall consist of suitable non-erodible material and shall be stabilized to prevent erosion.
8. Cadmium chromium arsenate (CCA) and creosote treated lumber shall not be used in structures that come into contact with waters of the state.

C. MITIGATION

1. Compensatory mitigation is required for the discharge of dredged or fill material into wetlands, whether temporary or permanent, exceed one-tenth acre.
2. When required, compensatory mitigation shall be provided in accordance with chapters 3745-1 and 3745-32 of the Ohio Administrative Code.
3. When compensatory mitigation will be provided wholly or in part at a mitigation bank, credit purchase shall only be authorized at those banks approved by the interagency review team and having an active instrument signed by the director of Ohio EPA.
4. Compensatory mitigation projects for stream impacts shall result in the preservation, restoration, or enhancement of stream habitat and/or biological functions.
5. Stream restoration activities shall maintain or enhance the habitat values of the stream as determined by an appropriate habitat assessment method and adhere to "natural channel design" principles. Natural channel design means a technique that integrates knowledge of natural stream processes to create a stable stream that maintains its form and function over time and achieves a targeted habitat or biological end point.

D. MISCELLANEOUS

1. Nationwide permits cannot be combined to increase any of the special or general limitations and conditions of this certification.
2. Authorization under this certification does not relieve the permittee from the responsibility of obtaining any other federal, state or local permits, approvals or authorizations.
3. In the event that the issuance of a nationwide permit by the Corps requires individual state water quality certification for an activity that constitutes an emergency as defined in 33 CFR 325.2(e)(4), the limitation and/or condition requiring the individual water quality certification is not applicable and the project may proceed upon approval by the Corps provided all other terms of this certification, including mitigation, have been met.
4. In nationwide permits where the district engineer has been granted authority to waive certain requirements, the corresponding general limitations and conditions of this certification as well as specific nationwide permit conditions shall apply unless written authorization from the director of Ohio EPA is obtained to authorize additional impacts.
5. For any project that does not meet one or more of the terms and conditions of this certification as they pertain to stream and lake shoreline length limitations, stream designated/existing aquatic life uses and stream antidegradation categories, Ohio EPA may determine, on a case-by-case basis, that a project will have such a minimal impact on water quality that individual state water quality certification is not necessary provided all other terms and conditions of this certification, including mitigation, have been met.

To qualify for consideration, the applicant must provide to Ohio EPA the following information:

- a. a copy of the pre-construction notification submitted to the Army Corps of Engineers including all attachments;
- b. a copy of the provisional nationwide permit issued by the Army Corps of Engineers including all attachments and special conditions, if any;
- c. a detailed description of the proposed mitigation or a copy of the mitigation plan as approved by the Army Corps of Engineers;
- d. a rationale of how the applicant believes the project will minimally impact water quality; and
- e. any other documentation as may be required under this certification.

Pending such a determination, all of the limitations and conditions of this certification shall apply unless written authorization from the director of Ohio EPA, stating otherwise, is obtained.

6. Representatives from Ohio EPA, Division of Surface Water will be allowed to inspect the authorized activity at any time deemed necessary to ensure that it is being or has been accomplished in accordance with the terms and conditions of this certification. This includes, but is not limited to, access to and copies of any records that must be kept under the conditions of this certification; and, authorization to sample and/or monitor any discharge activity or mitigation site. Ohio EPA will make a reasonable attempt to notify the applicant of its intention to inspect the site in advance of that inspection.

H. Ohio Coastal Management Program Federal Consistency Concurrence Determination

The Ohio Department of Natural Resources (ODNR) concurs with the U.S. Army Corps of Engineers' Federal Consistency determination for all nationwide permits except 3, 7, 12, 13, 14, 15, 17, 36, 38, and 51. Therefore, project specific CZMA Federal Consistency Determinations are required from the Ohio Department of Natural Resources prior to the use of nationwide permits 3, 7, 12, 13, 14, 15, 17, 36, 38, and 51 for projects in Lake Erie, including Maumee Bay and Sandusky Bay.

I. Further Information

1. District Engineers have authority to determine if an activity complies with the terms and conditions of an NWP.
2. NWPs do not obviate the need to obtain other federal, state, or local permits, approvals, or authorizations required by law.
3. NWPs do not grant any property rights or exclusive privileges.
4. NWPs do not authorize any injury to the property or rights of others.
5. NWPs do not authorize interference with any existing or proposed Federal project.

J. Special Conditions

Special condition 1: At the request of an authorized representative of the Buffalo District, U.S. Army Corps of Engineers, the permittee must allow access to the project site to determine compliance with the conditions of this permit.

Special condition 2: The permittee must provide a copy of the permit to all contractors, subcontractors, and/or workers performing the work authorized by the permit and ensure they have knowledge of the terms and conditions of the permit, including all General and Special Conditions. Prior to commencing work authorized by this permit, a copy of the permit and drawings must be visibly posted at the construction site(s).

Special condition 3: The permittee must obtain, or a waiver of, an Individual Section 401 Water Quality Certification (WQC) from the State of Ohio prior to the use of this Nationwide Permit. Once issued, the WQC is part of this permit pursuant to Section 401(d) of the Clean Water Act. Noncompliance with any limitation or requirements stated in the WQC may be the basis for suspension, revocation or modification of this permit. To obtain the WQC you must contact the Ohio Environmental Protection Agency, Section 401 Certification Unit, PO Box 1049, Columbus, Ohio 43216-1049, or by phone at (614) 644-2494.

Special condition 4: To reduce any potential adverse effects on the Federally endangered Indiana bat (*Myotis sodalis*), trees (woody stems greater than 5 inches Diameter at Breast Height) must not be cut between April 1 and September 30, of any year.

Special condition 5: To reduce any potential adverse effects on the Federally threatened Northern long-eared bat (*Myotis septentrionalis*), trees (woody stems greater than 3 inches Diameter at Breast Height) must not be cut between April 1 and September 30, of any year.

Special condition 6: If the project requires work within streams designated by the Ohio EPA as salmonid streams, the permittee is prohibited from performing in-water work between 9/15 and 6/30 to preclude adverse impacts on the spawning, nursery, and feeding activities of indigenous fish species.

For 2017 only, the Ohio Department of Natural Resources does not object to granting a 24 or 48 hour waiver at each of the crossings, depending on their respective FERC designation of minor or intermediate water body. Work can occur throughout the restricted period provided that each crossing is completed within the 24 to 48 hour work period and the appropriate Best management Plans are implemented. The in water work restrictions apply to only perennial streams. Crossings of intermittent and ephemeral streams can occur at any time.

Special condition 7: If the project requires work within streams designated by the Ohio EPA as percid streams, the permittee is prohibited from performing in-water work between 3/15 and 6/30 to preclude adverse impacts on the spawning, nursery, and feeding activities of indigenous fish species.

For 2017 only, the Ohio Department of Natural Resources does not object to granting a 24 or 48 hour waiver at each of the crossings, depending on their respective FERC designation of minor or intermediate water body. Work can occur throughout the restricted period provided that each crossing is completed within the 24 to 48 hour work period and the appropriate Best management Plans are implemented. The in water work restrictions apply to only perennial streams. Crossings of intermittent and ephemeral streams can occur at any time.

Special condition 8: If the project requires work within streams designated by the Ohio EPA as Class 3 Primary Headwater Streams, Exceptional Warmwater Habitat streams, Coldwater Habitat Streams, Warmwater Habitat or Streams with threatened and endangered species, the permittee is prohibited from performing in-water work between 4/15 and 6/30 to preclude adverse impacts on the spawning, nursery, and feeding activities of indigenous fish species.

For 2017 only, the Ohio Department of Natural Resources does not object to granting a 24 or 48 hour waiver at each of the crossings, depending on their respective FERC designation of minor or intermediate water body. Work can occur throughout the restricted period provided that each crossing is completed within the 24 to 48 hour work period and the appropriate Best management Plans are implemented. The in water work restrictions apply to only perennial streams. Crossings of intermittent and ephemeral streams can occur at any time.

Special condition 9: Impacts to waters of the U.S are limited to those waters identified on Table C1 and Table C2 found in Appendix 1 of this nationwide permit authorization and shall be done in accordance with the project drawings (Sheet 2 to 6 of 6).

Special condition 10: If rip-rap is used to stabilize stream bank in areas where vegetation stream bank stabilization techniques are not effective, the amount of fill below the plane of the ordinary high water mark cannot exceed more than one-cubic yard per running foot and must be limited to the area of stream bank that was authorized.

Special Condition 11: The permittee must notify the Regulatory Branch, in writing, one day prior to the date the activities authorized in Waters of the United States, including wetlands, are scheduled to begin. Notification shall either be by: 1) e-mail sent to david.w.leput2@usace.army.mil AND LRB.Regulatory@usace.army.mil; or 2) mailed to the following address: Mr. David Leput, U.S. Army Corps of Engineers, Buffalo District, 1776 Niagara Street, Buffalo New York 14207-3199.

Special condition 12: Temporary impact to wetlands 3.963 acres of emergent wetlands and 5.145 acres forested wetland must be restored as closely as possible to their pre-construction contours and revegetated within 24 hours of the completion of construction and work within the wetlands.

Special condition 13: Temporary impacts to approximately 744.9 LF of streams must be restored as closely as possible to their pre-construction contours and stabilized within 24 hours of the completion of construction and work within streams.

Special condition 14: As compensatory mitigation for the permanent and unavoidable loss 0.165 acres of Federal jurisdictional emergent wetlands and the permanent conversion of 3.689 of forested wetland to emergent wetland and 0.267 of scrub-shrub wetland to emergent wetland, the permittee shall purchase the appropriate amount of wetland mitigation bank credits from the following: Pearson Wetland Mitigation Bank for wetland mitigation in the Cedar-Portage watershed (04100010) – 0.2.

The Nature Conservancy's Ohio Stream and Wetland In-lieu Fee Mitigation Program:

04100006 (Tiffin Watershed) – 4.0

04100009 (Lower Maumee) – 0.4

04100011 (Sandusky Watershed) – 1.6

As outlined in the Proposed Mitigation Plan (Appendix 2). Prior to commencing the work authorized by this permit, the Permittee must supply this office with a copy of the signed Credit Sale Letter verifying acceptance of full payment by the Pearson Wetland Mitigation Bank and the Nature Conservancy's Ohio Stream and Wetland In-lieu Fee Mitigation Program for the appropriate credits. The documentation must be sent to the attention of **Mr. Harold Keppner, Chief, Monitoring & Enforcement Section, U.S. Army Corps of Engineers, 1776 Niagara Street, Buffalo, New York 14207-3199.**

Special condition 15: The permittee is required to submit a compliance report for the project as outlined in Special Condition 16 to this office to (**ATTN: Mr. Harold Keppner, Chief Monitoring & Enforcement Section, U.S. Army Corps of Engineers, 1776 Niagara Street, Buffalo, New York 14207-3199**) the first year following completion of the construction. The report is due by December 31 in the year of completion of construction, or by an approved extension date (Example – If construction is

completed in 2017, the report would be due by Dec. 31, 2017). For purposes of this special condition, "completion" means all activities associated with site grading and seeding and/or planting.

Special condition 16: The report will include the following:

- a. Any modifications that were made from the proposed work plan.
- b. A list of plants introduced through seeding or planting after project completion. Only native plants should used.
- c. Photographs (minimum 3) from fixed locations within the project area. Photos should show every area where impacts occurred. Each area should be photographed, preferably from at least two directions (i.e. North –South or East – West).
- d. Date(s) of field inspection

Special condition 17: In the event of a “frac-out” occurrence during horizontal directional drilling, the permittee must immediately notify this office (call Mr. Harold Keppner at 716-879-4120, or e-mail at Harold.T.Keppner@usace.army.mil). The immediate notification must include the following information: the time and location of the occurrence, the type of material and the estimated volume released, the corrective measures being implemented and an estimated timeline for which corrective actions will be required to address the release. Within 24 hours the permittee must supply the following information: a USGS location map depicting the frac-out location, a description of the regulated water of the U.S. (type, quality, extent of watershed potentially affected), characterize the extent of the resource directly affected, report corrective actions already taken, provide photographs of the affected area and identify any known USACE and other authorizations needed to perform corrective actions.