

VOLUME IIA

APPENDIX 8A

Updated Tables – March 2016

| | |
|--|----|
| TABLE 8A-2 Land Use Acreage Affected by Construction and Operation (Updated) | 2 |
| TABLE 8A-3 Structures Located within 50 Feet of the Pipeline Construction Right-of-Way | 10 |



TABLE 8A-2
Land Use Acreage Affected by Construction and Operation (Updated)

| Facility / Workspace Type | County, State | Forest / Woodland ¹ | | Agricultural ² | | Open Land ³ | | Residential ⁴ | | Industrial/ Commercial ⁵ | | Open Water ⁶ | | Other ⁷ | | Total | | |
|--|---------------|--------------------------------|------------------------|---------------------------|--------------|------------------------|--------------|--------------------------|-------------|-------------------------------------|-------------|-------------------------|-------------|--------------------|-------------|--------------|-----------------|---------------|
| | | Construction ^a | Operation ^a | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | |
| Supply Laterals | | | | | | | | | | | | | | | | | | |
| <i>Sherwood Lateral</i> | | | | | | | | | | | | | | | | | | |
| Pipeline Right-of-Way | Doddridge, WV | 160.19 | 56.27 | 1.47 | 0.53 | 4.45 | 2.26 | 0.33 | 0.33 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 166.44 | 59.39 |
| | Tyler, WV | 315.80 | 112.05 | 67.31 | 24.86 | 14.57 | 4.33 | 0.39 | 0.13 | 0.00 | 0.00 | 0.40 | 0.31 | 0.00 | 0.00 | 0.00 | 398.47 | 141.68 |
| | Wetzel, WV | 24.16 | 9.37 | 7.75 | 2.45 | 2.46 | 1.37 | 0.00 | 0.00 | 0.00 | 0.00 | 1.84 | 1.84 | 0.00 | 0.00 | 0.00 | 36.21 | 15.03 |
| | Monroe, OH | 247.40 | 86.97 | 48.63 | 17.49 | 17.24 | 5.42 | 0.27 | 0.15 | 0.00 | 0.00 | 0.36 | 0.36 | 0.00 | 0.00 | 0.00 | 313.90 | 110.39 |
| <i>Subtotal Pipeline Right-of-Way:</i> | | <i>747.55</i> | <i>264.66</i> | <i>125.16</i> | <i>45.33</i> | <i>38.72</i> | <i>13.38</i> | <i>0.99</i> | <i>0.61</i> | <i>0.00</i> | <i>0.00</i> | <i>2.60</i> | <i>2.51</i> | <i>0.00</i> | <i>0.00</i> | <i>0.00</i> | <i>915.02</i> | <i>326.49</i> |
| Sherwood Compressor Station | Doddridge, WV | 23.92 | 0.98 | 5.22 | 0.00 | 5.38 | 4.24 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 34.52 | 5.22 |
| Sherwood Tie-In | Monroe, OH | 0.00 | 0.00 | 2.68 | 0.38 | 0.47 | 0.14 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3.15 | 0.52 |
| Access Roads | Various | 2.46 | 0.34 | 0.32 | 0.21 | 2.23 | 0.47 | 0.00 | 0.00 | 34.15 | 3.57 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 39.16 | 4.59 |
| Sherwood Yard | Tyler, WV | 0.00 | 0.00 | 0.00 | 0.00 | 17.95 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 17.95 | 0.00 |
| <i>Subtotal Sherwood Lateral:</i> | | <i>773.93</i> | <i>265.98</i> | <i>133.38</i> | <i>45.92</i> | <i>64.75</i> | <i>18.23</i> | <i>0.99</i> | <i>0.61</i> | <i>34.15</i> | <i>3.57</i> | <i>2.60</i> | <i>2.51</i> | <i>0.00</i> | <i>0.00</i> | <i>0.00</i> | <i>1,009.80</i> | <i>336.82</i> |
| <i>CGT Lateral</i> | | | | | | | | | | | | | | | | | | |
| Pipeline Right-of-Way | Doddridge, WV | 65.9 | 32.93 | 3.76 | 1.64 | 1.68 | 0.82 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 71.34 | 35.39 |
| CGT Meter Station | Doddridge, WV | 0.06 | 0 | 0.87 | 0.76 | 0.02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.95 | 0.76 |
| CGT Tie-In | Doddridge, WV | 0 | 0 | 0.93 | 0.33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.93 | 0.33 |
| Access Roads | Doddridge, WV | 0.1 | 0 | 0 | 0 | 0.1 | 0 | 0 | 0 | 7.78 | 0.98 | 0 | 0 | 0 | 0 | 0 | 7.98 | 0.98 |
| <i>Subtotal CGT Lateral:</i> | | <i>66.06</i> | <i>32.93</i> | <i>5.56</i> | <i>2.73</i> | <i>1.80</i> | <i>0.82</i> | <i>0.00</i> | <i>0.00</i> | <i>7.78</i> | <i>0.98</i> | <i>0.00</i> | <i>0.00</i> | <i>0.00</i> | <i>0.00</i> | <i>0.00</i> | <i>81.20</i> | <i>37.46</i> |

**TABLE 8A-2
Land Use Acreage Affected by Construction and Operation (Updated)**

| Facility / Workspace Type | County, State | Forest / Woodland ¹ | | Agricultural ² | | Open Land ³ | | Residential ⁴ | | Industrial/ Commercial ⁵ | | Open Water ⁶ | | Other ⁷ | | Total | | |
|--|---------------|--------------------------------|------------------------|---------------------------|--------------|------------------------|--------------|--------------------------|-------------|-------------------------------------|-------------|-------------------------|-------------|--------------------|-------------|--------------|---------------|---------------|
| | | Construction ^a | Operation ^a | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | |
| <i>Seneca Lateral</i> | | | | | | | | | | | | | | | | | | |
| Pipeline Right-of-Way | Noble, OH | 19.17 | 7.16 | 5.98 | 3.08 | 1.46 | 0.56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 26.61 | 10.80 |
| | Monroe, OH | 250.16 | 86.12 | 137.35 | 47.7 | 27.46 | 10.45 | 1.12 | 0.41 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 416.09 | 144.68 |
| <i>Subtotal Pipeline Right-of-Way:</i> | | 269.33 | 93.28 | 143.33 | 50.78 | 28.92 | 11.01 | 1.12 | 0.41 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 442.70 | 155.48 |
| Seneca Compressor Station | Noble, OH | 25.78 | 6.07 | 0.49 | 0 | 2.14 | 0.76 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 28.41 | 6.83 |
| REX Interconnect Pipeline/Tie-In | Noble, OH | 1.76 | 1.17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1.76 | 1.17 |
| Half-Meter Station | Monroe, OH | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Madison Meter Station | Monroe, OH | 0.16 | 0 | 5.35 | 0.55 | 0.77 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6.28 | 0.55 |
| Gulfport Meter Station | Monroe, OH | 6.59 | 0.42 | 3.47 | 0 | 2.87 | 0.01 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12.93 | 0.43 |
| Clarrington A Meter Station | Monroe, OH | 1.15 | 0.17 | 4.17 | 2.74 | 0.61 | 0.47 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5.93 | 3.38 |
| Access Roads | Various | 1.33 | 0.37 | 1.06 | 0 | 2.56 | 1.24 | 0 | 0 | 12.18 | 0.32 | 0 | 0 | 0 | 0 | 0 | 17.13 | 1.93 |
| Seneca Yard | Monroe, OH | 0 | 0 | 0 | 0 | 8.61 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8.61 | 0.00 |
| <i>Subtotal Seneca Lateral:</i> | | 306.10 | 101.48 | 157.87 | 54.07 | 46.48 | 13.49 | 1.12 | 0.41 | 12.18 | 0.32 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 523.75 | 169.77 |
| <i>Berne Lateral</i> | | | | | | | | | | | | | | | | | | |
| Pipeline Right-of-Way | Noble, OH | 19.73 | 7.98 | 5.6 | 2.96 | 1.45 | 0.56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 26.78 | 11.50 |
| | Monroe, OH | 26.49 | 13.72 | 1.58 | 0.88 | 0.79 | 0.46 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 28.86 | 15.06 |
| <i>Subtotal Pipeline Right-of-Way:</i> | | 46.22 | 21.70 | 7.18 | 3.84 | 2.24 | 1.02 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 55.64 | 26.56 |
| Berne Meter Station | Monroe, OH | 0.01 | 0 | 6.29 | 0.97 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6.30 | 0.97 |
| Access Roads | Monroe, OH | 0 | 0 | 0 | 0 | 0.19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.19 | 0.19 |
| <i>Subtotal Berne Lateral:</i> | | 46.23 | 21.70 | 13.47 | 4.81 | 2.43 | 1.02 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 62.13 | 27.72 |



TABLE 8A-2
Land Use Acreage Affected by Construction and Operation (Updated)

| Facility / Workspace Type | County, State | Forest / Woodland ¹ | | Agricultural ² | | Open Land ³ | | Residential ⁴ | | Industrial/ Commercial ⁵ | | Open Water ⁶ | | Other ⁷ | | Total | |
|--|--|--------------------------------|------------------------|---------------------------|--------------|------------------------|--------------|--------------------------|-------------|-------------------------------------|-------------|-------------------------|-------------|--------------------|-------------|---------------|---------------|
| | | Construction ⁸ | Operation ⁹ | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation |
| <i>Clarrington Lateral</i> | | | | | | | | | | | | | | | | | |
| Pipeline Right-of-Way | Monroe, OH | 5.15 | 1.7 | 8.14 | 3.04 | 1.46 | 0.56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14.75 | 5.30 |
| | Belmont, OH | 205.56 | 69.77 | 159.47 | 54.93 | 60.4 | 23.94 | 0.28 | 0.28 | 0 | 0 | 0.12 | 0.12 | 0 | 0 | 425.83 | 149.04 |
| | Harrison, OH | 37.16 | 13.89 | 73.66 | 24.46 | 7.43 | 2.66 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 118.25 | 41.01 |
| <i>Subtotal Pipeline Right-of-Way:</i> | | <i>247.87</i> | <i>85.36</i> | <i>241.27</i> | <i>82.43</i> | <i>69.29</i> | <i>27.16</i> | <i>0.28</i> | <i>0.28</i> | <i>0.00</i> | <i>0.00</i> | <i>0.12</i> | <i>0.12</i> | <i>0.00</i> | <i>0.00</i> | <i>558.83</i> | <i>195.35</i> |
| Clarrington Compressor Station | Monroe, OH | 15.06 | 1.44 | 16.19 | 3.13 | 3.87 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 35.12 | 4.57 |
| Access Roads | Various | 0.1 | 0.07 | 0 | 0 | 1.83 | 1.79 | 0 | 0 | 16.26 | 2.18 | 0 | 0 | 0 | 0 | 18.19 | 4.04 |
| Clarrington Yard | Harrison, OH | 0 | 0 | 0 | 0 | 47.99 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 47.99 | 0.00 |
| <i>Subtotal Clarrington Lateral:</i> | | <i>263.03</i> | <i>86.87</i> | <i>257.46</i> | <i>85.56</i> | <i>122.98</i> | <i>28.95</i> | <i>0.28</i> | <i>0.28</i> | <i>16.26</i> | <i>2.18</i> | <i>0.12</i> | <i>0.12</i> | <i>0.00</i> | <i>0.00</i> | <i>660.13</i> | <i>203.96</i> |
| <i>Majorsville Lateral</i> | | | | | | | | | | | | | | | | | |
| Pipeline Right-of-Way | Marshall, WV | 104.00 | 55.51 | 18.67 | 9.35 | 12.55 | 6.16 | 0.42 | 0.23 | 0 | 0 | 1.51 | 1.5 | 0 | 0 | 137.15 | 72.75 |
| | Belmont, OH | 99.27 | 52.96 | 20.49 | 10.41 | 9.39 | 4.3 | 0.26 | 0.24 | 0.03 | 0 | 0.02 | 0.02 | 0 | 0 | 129.46 | 67.93 |
| | <i>Subtotal Pipeline Right-of-Way:</i> | | <i>203.27</i> | <i>108.47</i> | <i>39.16</i> | <i>19.76</i> | <i>21.94</i> | <i>10.46</i> | <i>0.68</i> | <i>0.47</i> | <i>0.03</i> | <i>0.00</i> | <i>1.53</i> | <i>1.52</i> | <i>0.00</i> | <i>0.00</i> | <i>266.61</i> |
| Majorsville Compressor Station | Marshall, WV | 10.8 | 2.25 | 0 | 0 | 6.23 | 2.01 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 17.03 | 4.26 |
| Majorsville Meter Station | Marshall, WV | 1.48 | 0.44 | 0 | 0 | 0.34 | 0.02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1.82 | 0.46 |
| Majorsville Launcher | Marshall, WV | 1.15 | 0.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1.15 | 0.25 |
| Majorsville Tie-In | Belmont, OH | 1.78 | 0.47 | 0.3 | 0.01 | 0.65 | 0.21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2.73 | 0.69 |
| Access Roads | Various | 0.42 | 0.07 | 0 | 0 | 0.68 | 0.07 | 0 | 0 | 17.02 | 1.33 | 0 | 0 | 0 | 0 | 18.12 | 1.47 |
| Majorsville Yard | Marshall, WV | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 38.99 | 0 | 0 | 0 | 0 | 0 | 38.99 | 0.00 |
| <i>Subtotal Majorsville Lateral:</i> | | <i>218.90</i> | <i>111.95</i> | <i>39.46</i> | <i>19.77</i> | <i>29.84</i> | <i>12.77</i> | <i>0.68</i> | <i>0.47</i> | <i>56.04</i> | <i>1.33</i> | <i>1.53</i> | <i>1.52</i> | <i>0.00</i> | <i>0.00</i> | <i>346.45</i> | <i>147.81</i> |



TABLE 8A-2
Land Use Acreage Affected by Construction and Operation (Updated)

| Facility / Workspace Type | County, State | Forest / Woodland ¹ | | Agricultural ² | | Open Land ³ | | Residential ⁴ | | Industrial/ Commercial ⁵ | | Open Water ⁶ | | Other ⁷ | | Total | | |
|--|----------------|--------------------------------|------------------------|---------------------------|-----------|------------------------|-----------|--------------------------|-----------|-------------------------------------|-----------|-------------------------|-----------|--------------------|-----------|--------------|-----------|--------|
| | | Construction ⁸ | Operation ⁹ | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | |
| <i>Cadiz Lateral</i> | | | | | | | | | | | | | | | | | | |
| Pipeline Right-of-Way | Harrison, OH | 22.68 | 7.93 | 33.25 | 11.13 | 4.21 | 1.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 60.14 | 20.56 |
| Cadiz Compressor Station | Harrison, OH | 0 | 0 | 20.12 | 7.82 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20.12 | 7.82 |
| Access Roads | Harrison, OH | 0 | 0 | 0 | 0 | 0.6 | 0.6 | 0 | 0 | 0.4 | 0 | 0 | 0 | 0 | 0 | 0 | 1.00 | 0.60 |
| <i>Subtotal Cadiz Lateral:</i> | | 22.68 | 7.93 | 53.37 | 18.95 | 4.81 | 2.10 | 0.00 | 0.00 | 0.40 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 81.26 | 28.98 |
| <i>Burgettstown Lateral</i> | | | | | | | | | | | | | | | | | | |
| Pipeline Right-of-Way | Washington, PA | 131.77 | 51.83 | 18.58 | 6.45 | 6.76 | 2.49 | 1.36 | 0.60 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 158.47 | 61.37 |
| | Hancock, WV | 62.60 | 23.59 | 17.62 | 5.86 | 4.00 | 1.65 | 0.17 | 0.17 | 0.01 | 0.01 | 1.27 | 1.06 | 1.66 | 0.76 | 0.00 | 87.33 | 33.10 |
| | Jefferson, OH | 181.46 | 71.01 | 127.03 | 42.08 | 18.76 | 8.13 | 0.35 | 0.18 | 0.00 | 0.00 | 0.51 | 0.51 | 0.00 | 0.00 | 0.00 | 328.11 | 121.91 |
| | Carroll, OH | 146.82 | 57.13 | 95.26 | 33.23 | 18.36 | 5.65 | 0.02 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 260.46 | 96.01 |
| <i>Subtotal Pipeline Right-of-Way:</i> | | 522.65 | 203.56 | 258.49 | 87.62 | 47.88 | 17.92 | 1.90 | 0.95 | 0.01 | 0.01 | 1.78 | 1.57 | 1.66 | 0.76 | 0.00 | 834.37 | 312.39 |
| Burgettstown Compressor Station | Washington, PA | 13.91 | 4.84 | 0 | 0 | 3.88 | 0.58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 17.79 | 5.42 |
| Access Roads | Various | 0 | 0 | 0 | 0 | 0.1 | 0.1 | 0 | 0 | 3.93 | 0.74 | 0 | 0 | 0 | 0 | 0 | 4.09 | 0.84 |
| Burgettstown Yard | Jefferson, OH | 0 | 0 | 0 | 0 | 199.97 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 199.97 | 0.00 |
| <i>Subtotal Burgettstown Lateral:</i> | | 536.56 | 208.40 | 258.55 | 87.62 | 251.83 | 18.60 | 1.90 | 0.95 | 3.94 | 0.75 | 1.78 | 1.57 | 1.66 | 0.76 | 0.00 | 1,056.22 | 318.65 |

**TABLE 8A-2
Land Use Acreage Affected by Construction and Operation (Updated)**

| Facility / Workspace Type | County, State | Forest / Woodland ¹ | | Agricultural ² | | Open Land ³ | | Residential ⁴ | | Industrial/ Commercial ⁵ | | Open Water ⁶ | | Other ⁷ | | Total | | |
|--|---|--------------------------------|------------------------|---------------------------|-----------------|------------------------|---------------|--------------------------|-------------|-------------------------------------|---------------|-------------------------|-------------|--------------------|-------------|--------------|-----------------|-----------------|
| | | Construction ^a | Operation ^a | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | |
| <i>Supply Connector A and B</i> | | | | | | | | | | | | | | | | | | |
| Pipeline Right-of-Way | Harrison, OH | 182.34 | 81.42 | 83.08 | 34.29 | 20.63 | 8.88 | 0.39 | 0.18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 286.44 | 124.77 |
| | Carroll, OH | 19.76 | 8.79 | 2.16 | 1.23 | 0.29 | 0.09 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 22.21 | 10.11 |
| <i>Subtotal Pipeline Right-of-Way:</i> | | <i>202.10</i> | <i>90.21</i> | <i>85.24</i> | <i>35.52</i> | <i>20.92</i> | <i>8.97</i> | <i>0.39</i> | <i>0.18</i> | <i>0.00</i> | <i>0.00</i> | <i>0.00</i> | <i>0.00</i> | <i>0.00</i> | <i>0.00</i> | <i>0.00</i> | <i>308.65</i> | <i>134.88</i> |
| Cadiz Tie-In | Harrison, OH | 4.52 | 1.91 | 1.01 | 0.41 | 0.00 | 0.00 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5.53 | 2.32 |
| | Harrison, OH | 0 | 0 | 0.04 | 0.00 | 0.02 | 0 | 0 | 0 | 1.20 | 0.51 | 0 | 0 | 0 | 0 | 0 | 1.26 | 0.51 |
| Access Roads | <i>Subtotal Supply Connector A and B:</i> | | <i>206.62</i> | <i>92.12</i> | <i>86.29</i> | <i>35.93</i> | <i>20.94</i> | <i>8.97</i> | <i>0.39</i> | <i>1.20</i> | <i>0.51</i> | <i>0.00</i> | <i>0.00</i> | <i>0.00</i> | <i>0.00</i> | <i>0.00</i> | <i>315.44</i> | <i>137.71</i> |
| | Subtotal Supply Laterals: | | 2,440.11 | 929.36 | 1,005.41 | 355.36 | 545.86 | 104.95 | 5.36 | 2.90 | 131.95 | 9.64 | 6.03 | 5.72 | 1.66 | 0.76 | 4,136.38 | 1,408.88 |
| Mainlines | | | | | | | | | | | | | | | | | | |
| <i>Mainlines A and B</i> | | | | | | | | | | | | | | | | | | |
| Pipeline Right-of-Way | Carroll, OH | 47.25 | 20.57 | 14.33 | 5.55 | 2.47 | 0.92 | 0.00 | 0.00 | 0 | 0 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 64.05 | 27.04 |
| | Tuscarawas, OH | 78.71 | 37.15 | 148.13 | 60.47 | 12.92 | 5.51 | 0.00 | 0.00 | 0 | 0 | 5.74 | 2.59 | 0.00 | 0.00 | 0.00 | 245.50 | 105.72 |
| | Stark, OH | 55.83 | 26.45 | 166.15 | 70.03 | 12.28 | 5.88 | 0.55 | 0.33 | 0 | 0 | 2.45 | 1.19 | 0.00 | 0.00 | 0.00 | 237.26 | 103.88 |
| | Wayne, OH | 53.01 | 23.45 | 395.57 | 164.35 | 19.71 | 8.38 | 5.23 | 2.52 | 0 | 0 | 1.24 | 1.24 | 0.00 | 0.00 | 0.00 | 474.76 | 199.94 |
| | Ashland, OH | 41.47 | 18.96 | 233.72 | 94.13 | 12.59 | 5.28 | 1.23 | 1.01 | 0 | 0 | 0.19 | 0.11 | 0.00 | 0.00 | 0.00 | 289.20 | 119.49 |
| | Richland, OH | 57.82 | 26.16 | 235.78 | 95.64 | 9.65 | 4.41 | 3.15 | 1.42 | 0 | 0 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 306.40 | 127.63 |
| | Crawford, OH | 4.00 | 1.86 | 296.33 | 119.13 | 12.94 | 5.42 | 1.32 | 0.52 | 0 | 0 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 314.59 | 126.93 |
| | Seneca, OH | 15.30 | 7.83 | 377.70 | 153.90 | 19.11 | 8.17 | 1.28 | 0.51 | 0 | 0 | 0.31 | 0.31 | 0.00 | 0.00 | 0.00 | 413.70 | 170.72 |
| | Hancock, OH | 0.00 | 0.00 | 98.46 | 39.71 | 2.16 | 0.95 | 0.39 | 0.23 | 0 | 0 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 101.01 | 40.89 |
| | Wood, OH | 5.67 | 3.14 | 384.43 | 155.35 | 12.52 | 5.47 | 0.84 | 0.67 | 0 | 0 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 403.46 | 164.63 |



**TABLE 8A-2
Land Use Acreage Affected by Construction and Operation (Updated)**

| Facility / Workspace Type | County, State | Forest / Woodland ¹ | | Agricultural ² | | Open Land ³ | | Residential ⁴ | | Industrial/ Commercial ⁵ | | Open Water ⁶ | | Other ⁷ | | Total | |
|---------------------------------|----------------|--------------------------------|------------------------|---------------------------|-----------|------------------------|-----------|--------------------------|-----------|-------------------------------------|-----------|-------------------------|-----------|--------------------|-----------|--------------|-----------|
| | | Construction ⁸ | Operation ⁹ | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation |
| Pipeline Right-of-Way | Henry, OH | 2.32 | 1.77 | 315.17 | 127.86 | 10.68 | 5.18 | 0.29 | 0.11 | 0 | 0 | 0.80 | 0.80 | 0.00 | 0.00 | 329.26 | 135.72 |
| | Defiance, OH | 1.18 | 0.77 | 139.03 | 47.68 | 3.37 | 1.14 | 0.71 | 0.46 | 0 | 0 | 0.00 | 0.00 | 0.00 | 0.00 | 144.29 | 50.05 |
| Subtotal Pipeline Right-of-Way: | | 362.56 | 168.11 | 2804.80 | 1133.80 | 130.40 | 56.71 | 14.99 | 7.78 | 0.00 | 0.00 | 10.73 | 6.24 | 0.00 | 0.00 | 3,323.48 | 1,372.64 |
| Mainline Compressor Station 1 | Carroll, OH | 2.62 | 0.01 | 31.58 | 10.97 | 0.76 | 0.09 | 0 | 0 | 0.00 | 0 | 0 | 0 | 0 | 0 | 34.96 | 11.07 |
| Mainline Compressor Station 2 | Wayne, OH | 0.87 | 0.16 | 21.57 | 11.43 | 0.26 | 0 | 0 | 0 | 0.00 | 0 | 0 | 0 | 0 | 0 | 22.70 | 11.59 |
| Mainline Compressor Station 3 | Crawford, OH | 0 | 0 | 31.79 | 12.30 | 0.00 | 0 | 0 | 0 | 0.00 | 0 | 0 | 0 | 0 | 0 | 31.79 | 12.30 |
| ANR Meter Station | Defiance, OH | 0 | 0 | 7.87 | 2.18 | 0.02 | 0 | 0 | 0 | 0.00 | 0 | 0 | 0 | 0 | 0 | 7.89 | 2.18 |
| Mainline B Receiver | Defiance, OH | 0 | 0 | 0.97 | 0.96 | 0.09 | 0 | 0 | 0 | 0.00 | 0 | 0 | 0 | 0 | 0 | 1.06 | 0.96 |
| Access Roads | Various | 0 | 0 | 3.04 | 2.41 | 0.18 | 0.00 | 0 | 0 | 0.78 | 0 | 0 | 0 | 0 | 0 | 4.00 | 2.41 |
| Dennison Yard | Tuscarawas, OH | 0 | 0 | 0 | 0 | 61.59 | 0 | 0 | 0 | 0.00 | 0 | 0 | 0 | 0 | 0 | 61.59 | 0.00 |
| Dover Yard | Tuscarawas, OH | 0 | 0 | 0 | 0 | 0.00 | 0 | 0 | 0 | 21.79 | 0 | 0 | 0 | 0 | 0 | 21.79 | 0.00 |
| Ashland Yard | Ashland, OH | 0 | 0 | 0 | 0 | 0.00 | 0 | 0 | 0 | 21.29 | 0 | 0 | 0 | 0 | 0 | 21.29 | 0.00 |
| Mansfield Yard | Richland, OH | 0 | 0 | 0 | 0 | 0.00 | 0 | 0 | 0 | 22.99 | 0 | 0 | 0 | 0 | 0 | 22.99 | 0.00 |
| Bucyrus Yard | Crawford, OH | 0 | 0 | 0 | 0 | 66.81 | 0 | 0 | 0 | 0.00 | 0 | 0 | 0 | 0 | 0 | 66.81 | 0.00 |
| Defiance Yard | Defiance, OH | 0 | 0 | 0 | 0 | 0.00 | 0 | 0 | 0 | 23.65 | 0 | 0 | 0 | 0 | 0 | 23.65 | 0.00 |
| Subtotal Mainlines A and B: | | 366.05 | 168.28 | 2901.62 | 1174.05 | 260.11 | 56.80 | 14.99 | 7.78 | 90.50 | 0.00 | 10.73 | 6.24 | 0.00 | 0.00 | 3644.00 | 1413.15 |



TABLE 8A-2
Land Use Acreage Affected by Construction and Operation (Updated)

| Facility / Workspace Type | County, State | Forest / Woodland ¹ | | Agricultural ² | | Open Land ³ | | Residential ⁴ | | Industrial/ Commercial ⁵ | | Open Water ⁶ | | Other ⁷ | | Total | |
|--|----------------|--------------------------------|------------------------|---------------------------|-----------------|------------------------|---------------|--------------------------|--------------|-------------------------------------|--------------|-------------------------|--------------|--------------------|-----------------|-----------------|-----------|
| | | Construction ⁸ | Operation ⁹ | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation |
| Pipeline Right-of-Way | Defiance, OH | 3.00 | 1.85 | 89.60 | 30.28 | 3.22 | 1.10 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 95.82 | 33.23 |
| | Henry, OH | 2.58 | 1.64 | 84.66 | 28.38 | 3.51 | 1.27 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 90.75 | 31.29 |
| | Fulton, OH | 1.11 | 0.38 | 296.73 | 99.22 | 9.14 | 3.40 | 1.46 | 0.77 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 308.44 | 103.77 |
| | Lenawee, MI | 34.34 | 12.45 | 461.35 | 154.56 | 22.27 | 8.18 | 4.81 | 1.82 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 522.77 | 177.01 |
| | Washtenaw, MI | 107.82 | 44.91 | 320.60 | 106.32 | 20.00 | 7.97 | 3.85 | 1.88 | 0.00 | 0.00 | 0.36 | 0.17 | 0.00 | 0.00 | 452.63 | 161.25 |
| | Livingston, MI | 78.58 | 23.16 | 128.14 | 28.83 | 15.44 | 4.35 | 4.10 | 1.36 | 0.00 | 0.00 | 0.42 | 0.07 | 5.3 | 2.11 | 231.98 | 59.88 |
| Subtotal Pipeline Right-of-Way: | | 227.43 | 84.39 | 1381.08 | 447.59 | 73.58 | 26.27 | 14.22 | 5.83 | 0.00 | 0.78 | 0.24 | 5.30 | 2.11 | 1702.39 | 566.43 | |
| Defiance Compressor Station | Defiance, OH | 0.00 | 0.00 | 22.13 | 20.50 | 2.44 | 0.48 | 0.88 | 0.72 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 25.45 | 21.70 |
| Consumers Energy Meter Station | Washtenaw, MI | 0.02 | 0.00 | 4.65 | 0.07 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 4.67 | 0.07 | |
| Vector Meter Station | Livingston, MI | 0.00 | 0.00 | 11.45 | 1.82 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 11.45 | 1.82 | |
| Access Roads | Various | 0.42 | 0.42 | 1.73 | 0.38 | 0.58 | 0.58 | 0.00 | 0.00 | 12.07 | 3.73 | 0.00 | 0.00 | 0.00 | 14.80 | 5.11 | |
| Whitmore Lake Yard | Livingston, MI | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 15.53 | 0.00 | 0.00 | 0.00 | 0.00 | 15.53 | 0.00 | |
| Oakville Yard | Monroe, MI | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 43.50 | 0.00 | 0.00 | 0.00 | 0.00 | 43.50 | 0.00 | |
| Subtotal Market Segment: | | 227.87 | 84.81 | 1,421.04 | 470.36 | 76.60 | 27.33 | 15.10 | 6.55 | 71.10 | 3.73 | 0.78 | 5.30 | 2.11 | 1,817.79 | 595.13 | |
| Subtotal Mainlines: | | 593.92 | 253.09 | 4,322.66 | 1,644.41 | 336.71 | 84.13 | 30.09 | 14.33 | 161.60 | 3.73 | 11.51 | 6.48 | 5.30 | 5,461.79 | 2,008.28 | |
| PROJECT TOTAL: | | 3,034.03 | 1,182.45 | 5,328.07 | 1,999.77 | 882.57 | 189.08 | 35.45 | 17.23 | 293.55 | 13.37 | 17.54 | 12.20 | 2.87 | 9,598.17 | 3,417.16 | |

¹ Upland and wetland forest.

² Active hayfields, cultivated land, and specialty crops.

³ Utility rights-of-way, open fields, vacant land, herbaceous and scrub-shrub uplands, non-forested lands, emergent and scrub-shrub wetlands.

⁴ Existing developed residential areas. This may include large developments, low, medium, and high density residential neighborhoods, urban/suburban residential, multi-family residences, ethnic villages, residentially zoned areas that have been developed or short segments of the route at road crossings with homes near the route alignment.

⁵ Manufacturing or industrial plants, paved areas, landfills, mines, quarries, electric power or natural gas utility facilities, developed areas, roads, railroads and railroad yards, and commercial or retail facilities; and

**TABLE 8A-2
Land Use Acreage Affected by Construction and Operation (Updated)**

| Facility / Workspace Type | County, State | Forest / Woodland ¹ | | Agricultural ² | | Open Land ³ | | Residential ⁴ | | Industrial/ Commercial ⁵ | | Open Water ⁶ | | Other ⁷ | | Total | |
|--|---------------|--------------------------------|------------------------|---------------------------|-----------|------------------------|-----------|--------------------------|-----------|-------------------------------------|-----------|-------------------------|-----------|--------------------|-----------|--------------|-----------|
| | | Construction ⁸ | Operation ⁹ | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation | Construction | Operation |
| <p>⁶ Water crossings visible on aerial photography.</p> <p>⁷ Miscellaneous special use areas (e.g., land associated with schools, parks, places of worship, cemeteries, sports facilities, camp grounds, golf courses, ball fields, etc.).</p> <p>⁸ Permanent right-of-way, temporary construction right-of-way, and additional temporary workspace (ATWS).</p> <p>⁹ Permanent right-of-way.</p> <p>Notes: Construction includes land used for construction, including ATWS for the pipelines as listed in Table 1A-3 in Appendix 1A of Resource Report 1. The Sherwood, Seneca, Clarrington, Cadiz, Burgetstown, and PEPL meter stations will be located within compressor stations and, therefore, are not included. The Burgetstown, Clarrington, Majorsville, and Sherwood Laterals, and the Mainlines pipeline right-of-way construction and operation acreages include permanent easements associated with MLVs totaling 7.13 acres.</p> | | | | | | | | | | | | | | | | | |

TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|------------------------|-----------------------|--------------------|--------------------|---------------------------|-------------------------------|--|--|
| Supply Laterals | | | | | | | |
| Sherwood Lateral | 0 | Doddridge, WV | BARN ³ | EAST | 1764.5 | 0 | N/A |
| | 0 | Doddridge, WV | BARN ³ | EAST | 999 | 0 | N/A |
| | 0 | Doddridge, WV | SHED | EAST | 1769.4 | 10.9 | N/A |
| | 0 | Doddridge, WV | CORRAL | EAST | 1614.9 | 0 | N/A |
| | 0 | Doddridge, WV | HORSE STALL | EAST | 1238.8 | 0 | N/A |
| | 0 | Doddridge, WV | HOUSE | EAST | 1489.6 | 0 | WV-DO-SHC-001.500 |
| | 0 | Doddridge, WV | SHED ³ | EAST | 1833.6 | 0 | N/A |
| | 0 | Doddridge, WV | SHED ³ | EAST | 1830.6 | 0 | N/A |
| | 0.86 | Doddridge, WV | BUILDING | WEST | 948.3 | 32.6 | N/A |
| | 1.14 | Doddridge, WV | SHED | EAST | 62.3 | 42.3 | N/A |
| | 1.32 | Doddridge, WV | SHED ³ | COINCIDENT | 0 | 0 | N/A |
| | 4.74 | Doddridge, WV | SHED ³ | EAST | 88.6 | 0 | N/A |
| | 4.74 | Doddridge, WV | MOBILE HOME | EAST | 125.74 | 25.7 | WV-DO-SHC-027.000 |
| | 9.74 | Tyler, WV | BARN ³ | WEST | 29.44 | 0 | N/A |
| | 12.61 | Tyler, WV | BARN | WEST | 58.74 | 18.7 | N/A |
| | 15.64 | Tyler, WV | SHED ³ | WEST | 9.86 | 0 | N/A |
| | 16.55 | Tyler, WV | SHED ³ | EAST | 75.51 | 0 | N/A |
| | 17.61 | Tyler, WV | BARN | EAST | 120.77 | 10.8 | N/A |
| | 19.45 | Tyler, WV | BARN | WEST | 85.53 | 35.5 | N/A |
| | 23.34 | Tyler, WV | COLLAPSED BUILDING | EAST | 38.24 | 0 | N/A |
| 23.35 | Tyler, WV | COLLAPSED BUILDING | EAST | 19.85 | 0 | N/A | |
| 26.35 | Tyler, WV | BARN | EAST | 109.1 | 0.7 | N/A | |

**TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way**

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|------------------|-----------------------|---------------|----------------------------|---------------------------|-------------------------------|--|--|
| Sherwood Lateral | 26.41 | Tyler, WV | BARN | EAST | 116.6 | 6.6 | N/A |
| | 27.01 | Tyler, WV | HOUSE | EAST | 125.56 | 37.9 | WV-TY-SHC-081.000 |
| | 27.59 | Tyler, WV | SHED ³ | WEST | 24.82 | 0 | N/A |
| | 28.88 | Tyler, WV | CORRAL | WEST | 84.42 | 34.4 | N/A |
| | 30.17 | Tyler, WV | HUNTING CABIN | EAST | 110.3 | 25.3 | WV-TY-SHC-100.000 |
| | 31.12 | Tyler, WV | SHED ³ | WEST | 78.74 | 38.7 | N/A |
| | 32.81 | Wetzel, WV | BARN | EAST | 54.4 | 14.4 | N/A |
| | 34.42 | Monroe, OH | MOBILE HOME ³ | COINCIDENT | 0 | 0 | OH-MO-SHC-003.000 |
| | 34.97 | Monroe, OH | BUILDING | EAST | 159.9 | 49.9 | N/A |
| | 34.98 | Monroe, OH | SHED | WEST | 38.8 | 0 | N/A |
| | 35.8 | Monroe, OH | SHED | SOUTH | 0.2 | 0 | N/A |
| | 35.81 | Monroe, OH | SHED ³ | COINCIDENT | 0 | 0 | N/A |
| | 35.81 | Monroe, OH | HUNTING CABIN ³ | COINCIDENT | 0 | 0 | OH-MO-SHC-006.000 |
| | 37.01 | Monroe, OH | OLD HOUSE FOUNDATION | COINCIDENT | 0 | 0 | OH-MO-SHC-020.000 |
| | 40.64 | Monroe, OH | SHED ³ | COINCIDENT | 0 | 0 | N/A |
| | 45.23 | Monroe, OH | HOUSE | EAST | 135.18 | 46.8 | OH-MO-SHC-057.520 |
| 45.25 | Monroe, OH | SHED | EAST | 139.18 | 36.2 | N/A | |
| 45.4 | Monroe, OH | HOUSE | EAST | 142.34 | 32.3 | OH-MO-SHC-060.000 | |
| 49.42 | Monroe, OH | HOUSE | EAST | 115.6 | 27.1 | OH-MO-SHC-066.574 | |

TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|------------------|-----------------------|---------------|-----------------------|---------------------------|-------------------------------|--|--|
| CGT Lateral | 4.24 | Doddrige, WV | BUILDING ³ | COINCIDENT | 0 | 0 | N/A |
| | 4.26 | Doddrige, WV | OUT HOUSE | COINCIDENT | 0 | 0 | N/A |
| | 4.26 | Doddrige, WV | SHED | NORTH | 20.5 | 0.5 | N/A |
| | 5.4 | Doddrige, WV | SHED | SOUTH | 126.1 | 46.1 | N/A |
| | 5.41 | Doddrige, WV | SHED | SOUTH | 82.67 | 12.7 | N/A |
| | 5.49 | Doddrige, WV | BARN ³ | SOUTH | 1.01 | 0 | N/A |
| | 5.64 | Doddrige, WV | BUILDING | NORTH | 467.92 | 34.9 | N/A |
| | 5.65 | Doddrige, WV | BUILDING | NORTH | 450.8 | 5.8 | N/A |
| | 5.71 | Doddrige, WV | BUILDING | SOUTH | 44 | 1.9 | N/A |
| | 5.77 | Doddrige, WV | SHED | SOUTH | 33.5 | 0 | N/A |
| | 5.77 | Doddrige, WV | HOUSE | SOUTH | 38.8 | 0 | WV-DO-SHB-028.000 |
| | 5.78 | Doddrige, WV | HOUSE | SOUTH | 61.9 | 0 | WV-DO-SHB-028.000 |
| | 5.78 | Doddrige, WV | SHED | COINCIDENT | 0 | 0 | N/A |
| | 5.79 | Doddrige, WV | WELL HOUSE | SOUTH | 30.7 | 0 | N/A |
| | 5.79 | Doddrige, WV | BUILDING | COINCIDENT | 0 | 0 | N/A |
| | 5.79 | Doddrige, WV | BARN | SOUTH | 58.7 | 0 | N/A |
| | 5.79 | Doddrige, WV | WELL HOUSE | SOUTH | 44.6 | 0 | N/A |
| 5.79 | Doddrige, WV | HOUSE | SOUTH | 178.6 | 41.2 | WV-DO-SHB-028.000 | |
| 5.79 | Doddrige, WV | SHED | SOUTH | 10.4 | 0 | N/A | |

TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|------------------|-----------------------|---------------|--------------------------------|---------------------------|-------------------------------|--|--|
| Seneca Lateral | 0.02 | Noble, OH | BUILDING | SOUTH | 292.56 | 28.3 | N/A |
| | 3.1 | Monroe, OH | HOUSE | SOUTH | 113.07 | 28.1 | OH-MO-SCL-008.000 |
| | 3.39 | Monroe, OH | LOG CABIN | NORTH | 42.39 | 2.4 | OH-MO-SCL-010.000 |
| | 3.49 | Monroe, OH | BARN | SOUTH | 80.17 | 5 | N/A |
| | 5.3 | Monroe, OH | BARN | SOUTH | 79.82 | 4.2 | N/A |
| | 5.3 | Monroe, OH | BUILDING | SOUTH | 118.21 | 15.9 | N/A |
| | 5.3 | Monroe, OH | BUILDING | SOUTH | 156.11 | 46.4 | N/A |
| | 5.65 | Monroe, OH | BARN | SOUTH | 59.49 | 0 | N/A |
| | 9.95 | Monroe, OH | BUILDING | NORTH | 571.7 | 37.6 | N/A |
| | 10.00 | Monroe, OH | HOUSE | NORTH | 596.0 | 0.4 | OH-MO-SCL-045.000 |
| | 11.17 | Monroe, OH | BARN | SOUTH | 88.73 | 3.7 | N/A |
| | 11.2 | Monroe, OH | BUILDING | SOUTH | 154.7 | 44.7 | N/A |
| | 16.85 | Monroe, OH | OLD CONCRETE SHOP ³ | SOUTH | 66.56 | 0 | N/A |
| | 21.84 | Monroe, OH | BARN | SOUTH | 119.39 | 9.4 | N/A |
| | 22.69 | Monroe, OH | BARN | NORTH | 1171.2 | 0.0 | N/A |
| | 22.69 | Monroe, OH | SHED | NORTH | 941.6 | 0.0 | N/A |
| | 22.69 | Monroe, OH | BARN | NORTH | 1081.3 | 0.0 | N/A |
| | 22.70 | Monroe, OH | GARAGE | NORTH | 1147.5 | 0.0 | N/A |
| | 22.72 | Monroe, OH | BUILDING | NORTH | 1020.8 | 0.0 | N/A |
| | 22.72 | Monroe, OH | HOUSE | NORTH | 1078.7 | 0.0 | OH-MO-SCL-118.000 |
| 23.21 | Monroe, OH | BARN | NORTH | 78.33 | 28.3 | N/A | |
| 25.57 | Monroe, OH | BUILDING | NORTH | 262.1 | 0.0 | N/A | |
| 25.63 | Monroe, OH | HOUSE | NORTH | 181.7 | 0.0 | OH-MO-SCL-132.000 | |

TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|---------------------|-----------------------|---------------|--------------------------|---------------------------|-------------------------------|--|--|
| Seneca Lateral | 25.63 | Monroe, OH | HOUSE | NORTH | 538.1 | 0.0 | OH-MO-SCL-132.000 |
| | 25.63 | Monroe, OH | HOUSE | NORTH | 460.9 | 0.0 | OH-MO-SCL-132.000 |
| | 25.63 | Monroe, OH | BUILDING | NORTH | 329.9 | 0.0 | N/A |
| Berne Lateral | | | NONE | | | | |
| Clarrington Lateral | 0.30 | Monroe, OH | SHED | SOUTH | 546.2 | 16.4 | N/A |
| | 0.37 | Monroe, OH | HOUSE | EAST | 626.0 | 33.4 | CC COMPRESSOR STATION |
| | 0.50 | Monroe, OH | SHED ³ | EAST | 513.3 | 0.0 | N/A |
| | 0.51 | Monroe, OH | HOUSE ³ | EAST | 755.6 | 46.3 | CC COMPRESSOR STATION |
| | 0.53 | Monroe, OH | SHED ³ | EAST | 42.4 | 0.0 | N/A |
| | 0.53 | Monroe, OH | SHED ³ | WEST | 1.6 | 0.0 | N/A |
| | 0.54 | Monroe, OH | DECK | EAST | 90.3 | 0.0 | N/A |
| | 0.54 | Monroe, OH | MOBILE HOME | EAST | 54.0 | 0 | CC COMPRESSOR STATION |
| | 0.62 | Monroe, OH | SHOP | EAST | 50.7 | 0 | N/A |
| | 0.72 | Monroe, OH | DEMOLISHED HOUSE (STONE) | EAST | 195.6 | 0.0 | N/A |
| | 4.84 | Belmont, OH | BAT CAVE; UNKNOWN | WEST | 12.2 | 0 | N/A |
| | 7.67 | Belmont, OH | BUILDING ³ | EAST | 25.72 | 0 | N/A |
| | 7.98 | Belmont, OH | MOBILE HOME | EAST | 79.4 | 0 | OH-BE-CC-043.000 |
| | 8.01 | Belmont, OH | SHED | EAST | 132.77 | 22.7 | N/A |
| | 10.45 | Belmont, OH | HOUSE | WEST | 74 | 34 | OH-BE-CC-049.530 |
| 11.15 | Belmont, OH | SHED | WEST | 121.96 | 24.5 | N/A | |
| 18.02 | Belmont, OH | SHED | WEST | 139.77 | 29.8 | N/A | |
| 18.36 | Belmont, OH | CABIN | WEST | 45.4 | 5.4 | OH-BE-CC-100.00 | |

**TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way**

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|---------------------|-----------------------|--------------------------|-------------------|---------------------------|-------------------------------|--|--|
| Clarrington Lateral | 19.92 | Belmont, OH | BARN | | 85.5 | 45.5 | N/A |
| | 21.68 | Belmont, OH | GARAGE | WEST | 67.3 | 27.3 | N/A |
| | 21.79 | Belmont, OH | BARN ³ | WEST | 20.4 | 0 | N/A |
| | 21.85 | Belmont, OH | SHED | WEST | 74.98 | 35 | N/A |
| | 31.41 | Harrison, OH | SHED ³ | EAST | 83.42 | 0 | N/A |
| | 31.65 | Harrison, OH | BARN | EAST | 67.55 | 9 | N/A |
| | 32.37 | Harrison, OH | BARN | EAST | 148.65 | 38.7 | N/A |
| | 32.89 | Harrison, OH | SHED | WEST | 9.07 | 0 | N/A |
| | 3.51 | Marshall, WV | BARN ³ | SOUTH | 24.32 | 0 | N/A |
| | 3.52 | Marshall, WV | BARN ³ | SOUTH | 26.73 | 0 | N/A |
| | 3.54 | Marshall, WV | SHED | SOUTH | 40.58 | 10.6 | N/A |
| | 6.11 | Marshall, WV | BARN | SOUTH | 53.14 | 33.1 | N/A |
| | 7.01 | Marshall, WV | BARN | NORTH | 125.26 | 39.4 | N/A |
| 7.22 | Marshall, WV | BARN ³ | NORTH | 1.22 | 0 | N/A | |
| 7.24 | Marshall, WV | MOBILE HOME ³ | NORTH | 17.42 | 0 | WV-MA-ML-038.000_RI_EX | |
| 7.25 | Marshall, WV | COMMERCIAL ³ | NORTH | 16.81 | 0 | N/A | |
| 11.26 | Marshall, WV | SHED ³ | NORTH | 55.14 | 0 | N/A | |
| 11.28 | Marshall, WV | HOUSE | NORTH | 124.64 | 44.6 | WV-MA-ML-063.300 | |
| 11.38 | Marshall, WV | MOBILE HOME ³ | COINCIDENT | 0 | 0 | WV-MA-ML-063.310 | |
| 11.49 | Marshall, WV | SHED ³ | SOUTH | 23.59 | 0 | N/A | |
| 11.5 | Marshall, WV | SHED ³ | NORTH | 13.94 | 0 | N/A | |
| 11.75 | Marshall, WV | HOUSE | NORTH | 105.2 | 43.8 | WV-MA-ML-066.510 | |
| 12.52 | Belmont, OH | HOUSE | NORTH | 1341.1 | 27.7 | OH-BE-ML-001.557 | |

TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|---------------------|-----------------------|----------------|--------------------------------|---------------------------|-------------------------------|--|--|
| Majorsville Lateral | 12.86 | Belmont, OH | DECK | NORTH | 89.7 | 9.7 | N/A |
| | 13.84 | Belmont, OH | STRUCTURE | NORTH | 16.1 | 0 | N/A |
| | 13.85 | Belmont, OH | SHED ³ | NORTH | 26.45 | 0 | N/A |
| | 15.05 | Belmont, OH | BARN | NORTH | 99.97 | 20 | N/A |
| | 18.97 | Belmont, OH | BARN ³ | NORTH | 28.44 | 0 | N/A |
| | 19.47 | Belmont, OH | BARN | NORTH | 94.48 | 39.4 | N/A |
| | 20.33 | Belmont, OH | SHED | NORTH | 6.9 | 0 | N/A |
| | 3.43 | Harrison, OH | SHED | COINCIDENT | 101.3 | 0 | N/A |
| | 1.02 | Washington, PA | BARN | EAST | 77.8 | 12.8 | N/A |
| | 2.54 | Washington, PA | DEMOLISHED HOUSE | NORTH | 14.4 | 0 | N/A |
| Cadiz Lateral | 4.15 | Washington, PA | HOUSE | EAST | 116.2 | 31.2 | PA-WA-HL-049.000 |
| | 4.56 | Washington, PA | BARN | NORTH | 111.13 | 26.1 | N/A |
| | 13.2 | Hancock, WV | BARN ³ | SOUTH | 14.3 | 0 | N/A |
| | 14.19 | Hancock, WV | SHED | SOUTH | 55.7 | 15.7 | N/A |
| | 14.39 | Hancock, WV | SHED ³ | NORTH | 53.8 | 0 | N/A |
| | 14.39 | Hancock, WV | MOBILE HOME | NORTH | 159.2 | 49.7 | WV-HA-HL-014.320 |
| | 19.05 | Jefferson, OH | BUILDING | NORTH | 149.9 | 49.9 | N/A |
| | 19.74 | Jefferson, OH | HOUSE | NORTH | 100 | 40 | OH-JE-HL-026.510 |
| | 19.75 | Jefferson, OH | GARAGE ⁴ | SOUTH | 61.3 | 14 | N/A |
| | 19.75 | Jefferson, OH | SHED | NORTH | 131.2 | 21.2 | N/A |
| Burgestown Lateral | 20.17 | Jefferson, OH | PORTABLE BUILDING ³ | NORTH | 84 | 0 | N/A |
| | 20.19 | Jefferson, OH | PORTABLE BUILDING | NORTH | 88.4 | 3.4 | N/A |

TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|----------------------|-----------------------|---------------|---------------------------------------|---------------------------|-------------------------------|--|--|
| Burgettstown Lateral | 20.21 | Jefferson, OH | PORTABLE BUILDING ³ | NORTH | 2.7 | 0 | N/A |
| | 21.21 | Jefferson, OH | BARN | NORTH | 99.7 | 12.9 | N/A |
| | 22.24 | Jefferson, OH | DELAPITATED BARN ³ | NORTH | 27.1 | 0 | N/A |
| | 25.47 | Jefferson, OH | BARN | SOUTH | 87.3 | 45.2 | N/A |
| | 29.75 | Jefferson, OH | BARN | SOUTH | 82.5 | 42.5 | N/A |
| | 29.81 | Jefferson, OH | BUILDING | SOUTH | 71.1 | 31.1 | N/A |
| | 29.92 | Jefferson, OH | SHED ³ | NORTH | 84 | 0 | N/A |
| | 31.23 | Jefferson, OH | SHED | NORTH | 111.9 | 15 | N/A |
| | 31.24 | Jefferson, OH | SHED | NORTH | 113 | 15.6 | N/A |
| | 32.2 | Jefferson, OH | PAVILLION ³ | SOUTH | 11.3 | 0 | N/A |
| | 32.61 | Jefferson, OH | HOUSE | NORTH | 146.2 | 36.2 | OH-JE-HL-090.310 |
| | 32.62 | Jefferson, OH | STORAGE BUILDING | NORTH | 137.3 | 27.3 | N/A |
| | 32.63 | Jefferson, OH | MOBILE HOME | NORTH | 151.3 | 41.3 | OH-JE-HL-090.310 |
| | 37.06 | Carroll, OH | HOUSE UNDER CONSTRUCTION ³ | NORTH | 17.4 | 0 | OH-CA-HL-011.100 |
| | 37.9 | Carroll, OH | BARN | NORTH | 150.2 | 40.2 | N/A |
| | 41.03 | Carroll, OH | BARN | SOUTH | 71.2 | 31.2 | N/A |
| | 43.21 | Carroll, OH | PORTABLE BUILDING | NORTH | 131.6 | 21.6 | N/A |
| | 47.02 | Carroll, OH | BARN | NORTH | 149.9 | 40.1 | N/A |
| | 49.02 | Carroll, OH | HOUSE ³ | NORTH | 61.7 | 0 | OH-CA-HL-071.000 |
| | 50.11 | Carroll, OH | BARN | NORTH | 118 | 33 | N/A |

TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|--------------------------------|-----------------------|----------------|----------------------------|---------------------------|-------------------------------|--|--|
| Supply Connector Lines A and B | 0 | Harrison, OH | SHED | WEST | 282 | 0 | N/A |
| | 2.79 | Harrison, OH | SHED | WEST | 79.13 | 39.1 | N/A |
| | 9.17 | Harrison, OH | BARN | WEST | 69.92 | 29.9 | N/A |
| | 12.34 | Harrison, OH | BARN ³ | COINCIDENT | 0 | 0 | N/A |
| | 12.36 | Harrison, OH | HUNTING CABIN ³ | WEST | 22.17 | 0 | OH-HR-035.000 |
| | 13.4 | Harrison, OH | BARN ³ | COINCIDENT | 0 | 0 | N/A |
| | 16.31 | Harrison, OH | BUILDING | EAST | 78.73 | 3.7 | N/A |
| | 18.74 | Carroll, OH | HOUSE | EAST | 190.4 | 22.6 | OH-CA-001.000 |
| Mainlines | | | | | | | |
| Mainlines A and B | 20.52 | Carroll, OH | BARN | WEST | 87.48 | 47.5 | N/A |
| | 22 | Carroll, OH | BARN | EAST | 120.87 | 45.9 | N/A |
| | 22.04 | Carroll, OH | SHED | EAST | 114.11 | 24.1 | N/A |
| | 22.32 | Carroll, OH | SHED ³ | WEST | 7.66 | 0 | N/A |
| | 22.63 | Carroll, OH | OUT HOUSE | COINCIDENT | 0 | 0 | N/A |
| | 23.28 | Tuscarawas, OH | SHED | EAST | 124.47 | 49.5 | N/A |
| | 23.31 | Tuscarawas, OH | BARN | EAST | 56.41 | 0.6 | N/A |
| | 31.41 | Tuscarawas, OH | HOUSE ³ | EAST | 35.4 | 0 | OH-TU-024.000 |
| | 31.43 | Tuscarawas, OH | SHED ³ | EAST | 14.9 | 0 | N/A |
| | 31.43 | Tuscarawas, OH | MOBILE HOME ³ | COINCIDENT | 0.7 | 0 | OH-TU-024.000 |
| | 45.97 | Stark, OH | BARN | NORTH | 92.3 | 2.3 | N/A |
| | 45.97 | Stark, OH | BARN | NORTH | 92.25 | 2.3 | N/A |
| | 46.47 | Stark, OH | CORRAL | NORTH | 24.8 | 0 | N/A |
| | 46.47 | Stark, OH | CORRAL | SOUTH | 65 | 25 | N/A |
| 49.07 | Stark, OH | BARN | NORTH | 108.8 | 18.7 | N/A | |

TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|-------------------|-----------------------|-------------------|---------------------------|---------------------------|-------------------------------|--|--|
| Mainlines A and B | 49.24 | Stark, OH | BUILDING | SOUTH | 42.75 | 11.1 | N/A |
| | 49.25 | Stark, OH | HOUSE | SOUTH | 47.4 | 27.4 | OH-ST-044.000 |
| | 49.27 | Stark, OH | BUILDING | SOUTH | 50.9 | 13.5 | N/A |
| | 51.94 | Wayne, OH | MOBILE HOME | NORTH | 90.15 | 15.2 | OH-WA-002.000 |
| | 51.95 | Wayne, OH | SHED | NORTH | 89.18 | 14.2 | N/A |
| | 52.73 | Wayne, OH | SHED ³ | NORTH | 8.03 | 0 | N/A |
| | 58.39 | Wayne, OH | BARN ³ | NORTH | 67.43 | 5 | N/A |
| | 64.46 | Wayne, OH | ABANDONED HOUSE | SOUTH | 44.6 | 4.6 | OH-WA-050.000 |
| | 66.09 | Wayne, OH | BARN | NORTH | 112.3 | 22.2 | N/A |
| | 69.33 | Wayne, OH | UTILITY SHED ³ | NORTH | 115.3 | 22.1 | N/A |
| | 69.34 | Wayne, OH | UTILITY SHED ³ | COINCIDENT | 0 | 0 | N/A |
| | 69.34 | Wayne, OH | HOUSE ³ | NORTH | 55.7 | 0 | OH-WA-052.532 |
| | 69.55 | Wayne, OH | BUILDING | NORTH | 125.9 | 35.9 | N/A |
| | 71.05 | Wayne, OH | HOUSE ³ | NORTH | 20.1 | 0 | OH-WA-074.000 |
| | 71.86 | Wayne, OH | CORRAL ³ | NORTH | 22.2 | 2.2 | N/A |
| | 73.41 | Wayne, OH | SHED | NORTH | 117.13 | 27.1 | N/A |
| | 77.27 | Wayne, OH | BUILDING | SOUTH | 346.7 | 0 | N/A |
| | 77.3 | Wayne, OH | BUILDING | SOUTH | 394.2 | 0 | N/A |
| | 88.96 | Ashland, OH | BARN | NORTH | 84.29 | 9.3 | N/A |
| | 91.2 | Ashland, OH | BARN | SOUTH | 49.45 | 9.4 | N/A |
| 95.06 | Ashland, OH | BARN | NORTH | 84.2 | 9.2 | N/A | |
| 98.29 | Richland, OH | HOUSE | SOUTH | 64.3 | 34 | OH-RI-009.500 | |
| 98.32 | Richland, OH | SHED ³ | NORTH | 8.96 | 0 | N/A | |
| 98.34 | Richland, OH | HOUSE | NORTH | 97.46 | 37.5 | OH-RI-010.000 | |

TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|-------------------|-----------------------|---------------|--------------------------------|---------------------------|-------------------------------|--|--|
| Mainlines A and B | 101.11 | Richland, OH | SHED ³ | COINCIDENT | 0 | 0 | N/A |
| | 106.05 | Richland, OH | BUILDING | NORTH | 131.5 | 41.4 | N/A |
| | 106.72 | Richland, OH | BARN ³ | NORTH | 59.5 | 0 | N/A |
| | 114.88 | Crawford, OH | HOUSE | SOUTH | 133.1 | 47.9 | OH-CR-007.200 |
| | 134.95 | Seneca, OH | PORTABLE BUILDING ³ | NORTH | 17.6 | 0 | N/A |
| | 147.96 | Seneca, OH | SHED | NORTH | 129.66 | 39.7 | N/A |
| | 176.21 | Wood, OH | HOUSE | SOUTH | 74.3 | 45.2 | OH-WO-064.000 |
| | 176.24 | Wood, OH | BUILDING | SOUTH | 85.2 | 45.2 | N/A |
| | 183.86 | Henry, OH | BARN | SOUTH | 89.62 | 49.6 | N/A |
| | 187.64 | Henry, OH | BUILDING | SOUTH | 46.34 | 44.3 | N/A |
| Mainline A | 203.68 | Defiance, OH | BUILDING | SOUTH | 79.9 | 39.9 | N/A |
| | 209.26 | Defiance, OH | HOUSE | NORTH | 227.2 | 0 | OH-DE-034.000 |
| | 209.26 | Defiance, OH | HOUSE | NORTH | 159.5 | 0 | OH-DE-034.000 |
| | 11.54 | Fulton, OH | BUILDING | WEST | 90.4 | 45.4 | N/A |
| | 28.71 | Lenawee, MI | SHED | WEST | 76.73 | 36.7 | N/A |
| | 36.92 | Lenawee, MI | BUILDING | WEST | 66.6 | 26.6 | N/A |
| | 37.76 | Lenawee, MI | BUILDING | WEST | 86.8 | 46.8 | N/A |
| | 38.02 | Lenawee, MI | SHED ³ | WEST | 23.53 | 0 | N/A |
| | 38.04 | Lenawee, MI | SHED ³ | WEST | 17.82 | 0 | N/A |
| | 42.98 | Lenawee, MI | BUILDING | EAST | 139 | 29.8 | N/A |
| Market Segment | 44.56 | Lenawee, MI | BARN | WEST | 67.8 | 27.8 | N/A |
| | 46.55 | Lenawee, MI | BARN | WEST | 68 | 28 | N/A |
| | 47.32 | Lenawee, MI | WINDMILL | WEST | 27.8 | 2.8 | N/A |
| | 52.87 | Lenawee, MI | SHED | WEST | 58.4 | 18.4 | N/A |

TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|------------------|-----------------------|---------------|-------------------|---------------------------|-------------------------------|--|--|
| Market Segment | 62.53 | Washtenaw, MI | SHED | EAST | 449.8 | 34.8 | N/A |
| | 62.75 | Washtenaw, MI | MOBILE HOME | WEST | 70.3 | 30.3 | RIP-WA-MP 062.75 |
| | 63.43 | Washtenaw, MI | SHED | WEST | 76.1 | 36.1 | N/A |
| | 68.05 | Washtenaw, MI | SHED ³ | EAST | 41.1 | 0 | N/A |
| | 71.48 | Washtenaw, MI | HOUSE | COINCIDENT | 0 | 0 | RIP-WA-MP 071.48 |
| | 71.53 | Washtenaw, MI | HOUSE | EAST | 59.3 | 39.3 | RIP-WA-MP 071.53 |
| | 71.57 | Washtenaw, MI | BARN | EAST | 64.5 | 44.5 | N/A |
| | 72.98 | Washtenaw, MI | HOUSE | WEST | 146.7 | 16.7 | RIP-WA-MP 072.98 |
| | 73.01 | Washtenaw, MI | BARN | WEST | 78.1 | 10 | N/A |
| | 73.02 | Washtenaw, MI | BARN | WEST | 159.8 | 44.8 | N/A |
| | 73.17 | Washtenaw, MI | BARN | EAST | 69.8 | 49.8 | N/A |
| | 73.18 | Washtenaw, MI | SHED | COINCIDENT | 0 | 0 | N/A |
| | 73.28 | Washtenaw, MI | SHED | WEST | 2.3 | 0 | N/A |
| | 73.29 | Washtenaw, MI | HOUSE | EAST | 72.4 | 37.4 | RIP-WA-MP 073.29 |
| | 73.38 | Washtenaw, MI | GARAGE | WEST | 91.5 | 48.6 | N/A |
| | 73.45 | Washtenaw, MI | HOUSE | EAST | 135.1 | 5.1 | RIP-WA-MP 073.45 |
| | 74.5 | Washtenaw, MI | BARN | WEST | 71.2 | 46.2 | N/A |
| | 74.5 | Washtenaw, MI | CHICKEN COOP | EAST | 23.2 | 8.1 | N/A |
| | 74.5 | Washtenaw, MI | SMOKE HOUSE | EAST | 31.5 | 16.5 | N/A |
| | 75.15 | Washtenaw, MI | HOUSE | EAST | 403.8 | 23.8 | RIP-WA-MP 075.15 |
| 75.57 | Washtenaw, MI | SHED | EAST | 35 | 0 | N/A | |
| 75.6 | Washtenaw, MI | HOUSE | EAST | 92.9 | 42.9 | RIP-WA-MP 75.60 | |
| 75.68 | Washtenaw, MI | HOUSE | EAST | 84.4 | 6.4 | RIP-WA-MP 75.68 | |
| 75.69 | Washtenaw, MI | SHED | WEST | 29.6 | 0 | N/A | |

TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|------------------|-----------------------|----------------|--------------------------|---------------------------|-------------------------------|--|--|
| Market Segment | 75.7 | Washtenaw, MI | BARN | COINCIDENT | 0 | 0 | N/A |
| | 76.32 | Washtenaw, MI | BARN | EAST | 18.2 | 0 | N/A |
| | 76.34 | Washtenaw, MI | SHED | EAST | 122.7 | 13.8 | N/A |
| | 76.34 | Washtenaw, MI | SHED | EAST | 154 | 44.8 | N/A |
| | 76.34 | Washtenaw, MI | SHED | EAST | 134.9 | 25.3 | N/A |
| | 76.35 | Washtenaw, MI | SHED | EAST | 31.5 | 0 | N/A |
| | 76.38 | Washtenaw, MI | HOUSE | EAST | 130.6 | 31.0 | RIP-WA-MP 76.38 |
| | 78.69 | Washtenaw, MI | HOUSE ³ | EAST | 7.5 | 0 | RIP-WA-MP 78.69 |
| | 78.64 | Washtenaw, MI | SHOP | EAST | 403.2 | 43.2 | N/A |
| | 78.64 | Washtenaw, MI | CHICKEN-COOP | WEST | 7.9 | 0 | N/A |
| | 78.62 | Washtenaw, MI | BARN ³ | COINCIDENT | 0 | 0 | N/A |
| | 79.09 | Washtenaw, MI | SHED ³ | EAST | 67.2 | 0 | N/A |
| | 79.4 | Washtenaw, MI | BARN | EAST | 406.7 | 46.7 | N/A |
| | 79.12 | Washtenaw, MI | SHED | EAST | 408.8 | 48.8 | N/A |
| | 83.61 | Washtenaw, MI | SHED | WEST | 47.2 | 17.2 | N/A |
| | 83.61 | Washtenaw, MI | SHED | WEST | 35.6 | 5.6 | N/A |
| | 83.62 | Washtenaw, MI | BARN | WEST | 72.2 | 32.2 | N/A |
| | 83.63 | Washtenaw, MI | SHED | WEST | 63.2 | 23.2 | N/A |
| | 84.73 | Livingston, MI | HOUSE | EAST | 71.7 | 41.7 | RIP-LI-MP 084.73 |
| | 84.85 | Livingston, MI | LOG CABIN | WEST | 56.6 | 36.6 | RIP-LI-MP 084.85 |
| | 84.85 | Livingston, MI | EARTH LODGE ³ | EAST | 0.6 | 0 | RIP-LI-MP 084.85 |
| | 85.47 | Livingston, MI | HOUSE | COINCIDENT | 0 | 0 | RIP-LI-MP 085.47 |
| 85.47 | Livingston, MI | HOUSE | EAST | 138.9 | 31.5 | RIP-LI-MP 085.47 EAST_OF_005.000 | |
| 85.52 | Livingston, MI | SHED | WEST | 152.4 | 42.4 | N/A | |

TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|------------------|-----------------------|-------------------------------|------------------------|---------------------------|-------------------------------|--|--|
| Market Segment | 85.49 | Livingston, MI | CORRAL | WEST | 96.8 | 0 | N/A |
| | 86.96 | Livingston, MI | SHED ³ | COINCIDENT | 0 | 0 | N/A |
| | 86.96 | Livingston, MI | HOUSE | WEST | 87 | 27 | RIP-LI-MP 86.96 |
| | 88.29 | Livingston, MI | HOUSE | NORTH | 88.7 | 48.7 | RIP-LI-MP 88.29 |
| | 88.35 | Livingston, MI | HOUSE | SOUTH | 34.3 | 0 | RIP-LI-MP 088.35 |
| | 88.58 | Livingston, MI | SHED | WEST | 74.4 | 9.8 | N/A |
| | 89.14 | Livingston, MI | SHED | EAST | 127.6 | 17.6 | N/A |
| | 89.98 | Livingston, MI | CLUBHOUSE | NORTH | 80.5 | 40.5 | N/A |
| | 90.69 | Livingston, MI | SHED ³ | WEST | 74 | 3.8 | N/A |
| | 90.94 | Livingston, MI | HOUSE | WEST | 99.6 | 39.6 | RIP-LI-MP 90.94 |
| | 91.13 | Livingston, MI | SHED ³ | COINCIDENT | 0 | 0 | N/A |
| | 91.13 | Livingston, MI | SHED ³ | WEST | 61.6 | 1.2 | N/A |
| | 91.19 | Livingston, MI | SHED | EAST | 112.8 | 27.8 | N/A |
| | 92.8 | Livingston, MI | PLAYHOUSE ³ | EAST | 54.2 | 14.2 | N/A |
| | 94.05 | Livingston, MI | BARN | WEST | 30 | 10 | N/A |
| | 95.34 | Livingston, MI | SHED | WEST | 23.3 | 3.3 | N/A |
| | 95.53 | Livingston, MI | SHED | WEST | 44.2 | 26.2 | N/A |
| | 95.54 | Livingston, MI | SHED ³ | WEST | 75.6 | 0 | N/A |
| | 95.55 | Livingston, MI | SHED | WEST | 44.5 | 25.5 | N/A |
| | 95.59 | Livingston, MI | SHED ³ | WEST | 59.9 | 39.9 | N/A |
| 95.92 | Livingston, MI | HOUSE | WEST | 98.8 | 9.9 | RIP-LI-MP 95.92 | |
| 95.97 | Livingston, MI | METAL SHOP ³ | WEST | 68.5 | 48.5 | N/A | |
| 96 | Livingston, MI | SHED | WEST | 44.2 | 27 | N/A | |
| 96 | Livingston, MI | ABOVEGROUND POOL ³ | WEST | 40.9 | 0 | N/A | |

**TABLE 8A-3
Structures Located within 50 Feet of the Pipeline Construction Right-of-Way**

| Pipeline Segment | Approx. Location (MP) | County, State | Type of Structure | Direction from Centerline | Distance from Centerline (ft) | Distance from Construction Work Area (ft) ² | Residential Plan Drawing Number ¹ |
|------------------|-----------------------|----------------|-----------------------|---------------------------|-------------------------------|--|--|
| Market Segment | 96 | Livingston, MI | HOUSE | WEST | 76.3 | 44.6 | RIP-LI-MP-096-09 |
| | 96-26 | Livingston, MI | HOUSE ⁴ | WEST | 404.9 | 36.7 | RIP-LI-MP-096-26 |
| | 96-29 | Livingston, MI | GARAGE ³ | WEST | 35.2 | 0 | N/A |
| | 96.3 | Livingston, MI | SHED ³ | WEST | 39.1 | 19.1 | N/A |
| | 96.41 | Livingston, MI | GARAGE | WEST | 49.3 | 29.3 | N/A |
| | 98.17 | Livingston, MI | SHED | EAST | 120.14 | 35.1 | N/A |
| | 99-56 | Livingston, MI | BUILDING ³ | EAST | 7.3 | 0 | N/A |
| | 99.93 | Livingston, MI | SHED | WEST | 387.4 | 15.4 | N/A |
| | 99.94 | Livingston, MI | SHED | WEST | 463.5 | 7.2 | N/A |
| | 100.01 | Livingston, MI | BUILDING | WEST | 675.6 | 49.9 | N/A |

¹ Site-specific residential plan is provided in Appendix 8B. Plans are not included for non-residential structures.

² Structures shown with a strike-through are now further than 50 feet from the workspace. Please refer to the alignment sheets for more details.

³ Rover plans to compensate for structures.